BOWMAN SURVEYING 38 N. 4th Street, Rm. 103 Zanesville, Ohio 43701 PH. (740) 454-0496 79-40-17-36

FOR ROLLAND UNTIED PARCEL 1

ALL OF AUDITORS PARCELS

29-40-17-36-000 (1.329 Acres) 29-40-17-37-000 (1.136 Acres)

29-40-17-38-000 (1.293 Acres) 29-40-17-39-000 (1.301 Acres)

29-40-17-40-000 (1.220 Acres) 29-40-17-41-000 (1.521 Acres)

29-40-17-42-000 (1.270 Acres) 29-40-17-43-000 (4.203 Acres)

29-40-17-44-000 (1.744 Acres) 29-40-17-45-000 (1.709 Acres)

29-40-17-46-000 (1.481 Acres) 29-40-17-47-000 (0.680 Acres)

PART OF AUDITORS PARCEL 29-40-17-52-000 (1.385 Acres)

TOTAL ACRES 20.272 ACRES

Situated in the Northeast quarter of Section 17, T-3-N, R-9-W, U.S.M.L., Jackson Township, Muskingum County, Ohio. Being part of lots 4, 6, and 7, all of lots 8, 9, 10, 11, 12, 13, 14, 15, 16, and 17 of Rolla Hills Subdivision recorded in Plat File 1 Slot 147 Muskingum County Plat Records and being described as follows:

Beginning at the Southeast corner of lot 17 as recorded in the plat of Rolla Hills Subdivision, located, S.89°50'17"W. a distance of 1,011.18 feet from the Southeast corner of the Northeast Quarter of Section 17;

- Thence, S.89°50'17"W. a distance of 64.52 feet along the south line of said Subdivision to a point;
- Thence, N.00°31'30"W. a distance of 1,336.90 feet along the West line of said Subdivision to a point;
- Thence, N.89°50'19"E. a distance of 1,060.53 feet along the North line of said subdivision to a point;
- Thence, S.01°10'30"E. a distance of 426.87 feet along said East line of Said subdivision to a point on the North line of the lands of the State of Ohio (1502/769);
- Thence, S.46°52'22"W. a distance of 816.97 feet along said state lands to a point on the Northern line of Alice Court;
- Thence, N.47°20'03"W. a distance of 138.77 feet along Alice Court to a point on the East line of Rolla Drive;

page 2 Rolland Untied Parcel 1

- Thence, on a curve to the left an arc distance of 94.13 feet with a radius of 150.00 feet whose chord bears, N.13°05'23"E. a distance of 92.60 feet along said Drive to a point;
- Thence, N.04°53'27"W. a distance of 169.74 feet along said drive to a point;
- Thence, N.04°49'06"W. a distance of 310.49 feet along said drive to a point;
- Thence, on a curve to the left an arc distance of 261.77 feet on a radius of 50.00 feet whose chord bears, S.85°10'20"W. a distance of 50.00 feet along said Drive to a point;
- Thence, S.04°49'06"E. a distance of 306.41 feet along said drive to a point;
- Thence, S.04°53'27"E. a distance of 173.88 feet along said drive to a point;
- Thence, on a curve to the right an arc distance of 62.75 feet on a radius of 100.00 feet whose chord bears, S.13°05'23"W. a distance of 61.73 feet along said Drive to a point;
- Thence, S.31°04'05"W. a distance of 276.73 feet along said Drive to a point;
- Thence, S.24°35'55"W. a distance of 260.86 feet along said Drive to the point of Beginning.

The above described parcel contains 20.272 acres, more or less, and is subject to all legal easements and right of ways. All set rebars are 5/8" x 30" rebars with plastic I.D. caps. North is based upon an assumed meridian.

Description was prepared by Bowman Surveying, Stephen M. Bowman, P.S.#7135. November 3, 2003.

OFFICE COPY NOT RECORDABLE DESCRIPTION APPROVED
FOR AUDITOR'S TRANSFER
BY

