29-61-09-04-001

48 FLAST 322 ST.

P.O. BOX 207 FRAZEYSBURG, OHIO 43822 PH./FAX (740) 828-2204

SURVEY DESCRIPTION FOR Randy Prouty

PART OF PARCEL 29-61-09-04-000 (0.159 Acres)

Situated in the Village of Frazeysburg, Muskingum County, Ohio. Being 105.00 feet off the South end of lot #4 of Iron Addition, and being described as follows:

Beginning at a found iron pin in the Southeast Corner of lot #5;

- thence, N.00°00'00"E. a distance of 105.00 feet along the East line of lot 5 to a point;
- thence, N.90°00'00"E. a distance of 66.00 feet through lot #4 to a point on the West line of lot 3;
- thence, S.00°00'00"E. a distance of 105.00 feet along the West line of lot 3 to a found iron pin on the North line of 3rd Street;
- thence, N.90°00'00"W. a distance of 66.00 feet along the North line of 3rd Street to the point of beginning.


The above described parcel contains 0.159 acres, more or less, and is subject to all legal easements and right of ways. All set rebars are $5/8" \times 30"$ rebars with plastic I.D. caps. North is based upon an assumed meridian.

Reserving from the above described parcel is a easement for the maintenance and operation of existing utility lines to the remaining portion of lot 4.

Description was prepared from an actual survey by Bowman Surveying, Stephen M. Bowman, P.S.#7135. August 4, 1999.

DESCRIPTION APPROVED FOR AUDITOR'S TRANSFER BY

OFFICE COPY NOT RECORDABLE



29-61-09-04 GITURNACE ST

Bowman

Situated in the State of Ohio, County of Muskingum, Village of Frazesburgh, Township 3, Range 9, bounded and described as follows:

Being part of Lot 4 of Iron Addition to Frazesburgh, part of Parcel No. 29-61-09-04-000.

Commencing at an iron pin found at the Southwest corner of Lot 4 of said Iron Addition; Thence North 00°14'18" East along Lot 4 105.00 feet to an iron pin set the place of beginning; Thence North 00°14'18" East 38.07 feet to an iron pin found; Thence North 89°58'02" East along Furnace Street (60' wide) 66.00 feet to a point from which an iron pin found bears North 89°58'02" East 0.41 feet; Thence South 00°14'18" West along Lot 3 38.11 feet to an iron pin set; Thence North 90°00'00" West along the split line of Lot 4 and Randy Prouty 66.00 feet to the place of beginning containing 0.058 Acres more or less.

Bearings are based on Third Street bearing North 90°00'00" West.

Above description is based on the survey of R.L. Daniels, Registered Surveyor No. 5410, November 8, 2000, and is intended for legal transfer of property described and does not intended all or any easements of record nor encroachments unless otherwise indicated.

Iron pins set are No. 5 reinf. bars 30 inches long with plastic ID caps.

NOT RECORDABLE

DESCRIPTION APPROVED FOR AUDITOR'S TRANSFER BY

