Thence along the north line of Lot 10, and said Gilson lands. North 87 degrees 37 minutes 03 seconds West, 39.63 feet to a PK nail set in a stone found, on the northwest corner of Lot 10, and the east line of an alley;

7

Thence along said east line, North 02 degrees 19 minutes 00 seconds East, 82.50 feet to the principal place of beginning, containing 0.08 acres more or less.

Tract Three

Being part of Lot 11 of John N. Blizzard's Addition to Frazeysburg as depicted in Re-plat Book 1, Page 222, and being all the lands described in DR 994-1, and being more particularly decribed as follows:

Beginning for reference at an iron pin set at the northeast corner of Lot 12, of said Blizzard's Addition to Frazeysburg, and being on the west line of an alley 16.5 feet wide;

Thence across said alley, South 88 degrees 10 minutes 00 seconds East, 16.50 feet to an iron pin set on the northwest corner of Lot 11 of said Blizzard's Addition;

Thence along the south line of Third Street, and the north line of said Lot 11, South 88 degrees 10 minutes 00 seconds East, 40.00 feet to an iron pin set and the principal place of beginning;

Thence continuing along said south line, South 88 degrees 10 minutes 00 seconds East, 62.89 feet to a Pk nail set on the northwest corner of lands presently owned by Calvary Christian Church of Reynoldsburg(DR 832-18);

Thence through Lot 11, and along the west line of said church lands, South 02 degrees 19 minutes 01 seconds West, 82.50 feet to an axle found on the north line of Lot 10, and the north line of lands presently owned by R. E. and J. E. Gilson(DR 1069-427);

Thence along said north line, North 88 degrees 30 minutes 39 seconds West, 63.26 feet to an axle found on the southeast corner of lands presently owned by Steven F. Whyde(DR 1056-353, Parcel One);

Thence along the east line of said Whyde lands, North 02 degrees 34 minutes 16 seconds East, 82.88 to the principal place of beginning, containing 0.12 acres more or less.

Subject to all legal recorded easements and right of ways.


Iron pins are 5\8 inch diameter by 30 inch long rebars with plastic identification caps.

Bearings are based on the south line of Third Street, as being South 88 degrees 10 minutes 40 seconds East, as per DR 994-1, of the Muskingum County Records.

This description is written based on a field survey completed on June 30, 2007 by Jack D. Newcome, Reg. No. 7321.




All of Parcel No.; 30-29-61-14-01-000 +- 0.12 Acres All of Parcel No.; 30-29-61-14-03-000 +- 0.08 Acres All of Parcel No.; 30-29-61-14-05-000 +- 0.17 Acres All of Parcel No.; 30-29-61-14-06-000 +- 0.08 Acres



APPRO/ED,FOR CLOSURE ኬԹ

7

EXEMPT FROM PLANNING COMMISSION 81**-**-



	_
ED IN: Muskingum, and being part of 2, of John N. razeysburg, 2.	
EARINGS the south line South 88 seconds East Muskingum	
CES 3 3 9 9 9 8	
Ł	
und 'rebar	
urveying Company Ballard Road aport, Ohio -453-5796	