Page 1 of 2

Huston Surveying
Michael L. Huston, P.S.
5942 West Fork Rd.
Ripley, Ohio 45167
(937) 373-3106

Description of Real Estate for Doris I. Jones, Etal 6.982 Acre Tract Parcel no. 35-02-71-05-000

Situated in Licking Township, Muskingum County, Ohio, and being a part of Quarter Township Two (2), Township Two (2), Range 9 and being all of the remainder of a 191.51 acre tract now owned by Doris I. Jones as recorded in Deed Book 978, page 137 of the Muskingum County, Ohio Recorder's Office and being more particularly described as follows:

Beginning at a point in the existing centerline of State Route 146 at station 118+14.00 and on file at Division 5 Ohio State Highway Department, Newark, Ohio, and at the northwest corner of a 28.55 acre tract of land now owned by Don C. and Beth A. Flowers as recorded in Deed Book 1159, page 936 of the Muskingum County, Ohio Recorder's Office.

Thence with Don C. and Beth A. Flowers' west line S 28°44'38" W a distance of 255.15 feet to a 1" pipe found at a common corner for a 3.006 acre tract now owned by Tammy L. Cody as recorded in Deed Book 2115, page 763 and a 0.61 acre tract now owned by Stephen J. and Janet L. Gaswint, Trustees as recorded in Deed Book 2126, page 218 of the Muskingum County, Ohio Recorder's Office.

Thence with Stephen J. and Janet L. Gaswint, Trustees' northwest line the following five (5) courses:

- 1) S 73°02'56" W a distance of 62.56 feet to a 5/8" iron pin found.
- 2) N 78°42'04 W a distance of 49.13 feet to a 5/8" iron pin found.
- 3) N 67°00'11" W a distance of 49.90 feet to a 5/8" iron pin found.
- 4) A curve to the left having a radius of 69.13 feet, an arc length of 81.09 feet, being subtended by a chord of S 79°29'33" W for a distance of 76.52 feet to a 5/8" iron pin found.
- 5) S 45°46'43" W a distance of 117.60 feet to a 5/8" iron pin found at the most northeast corner of a 0.972 acre tract now owned by Stephen J. and Janet L. Gaswint, Trustees as recorded in Deed Book 2126, page 218 of the Muskingum County, Ohio Recorder's Office.

Thence with Stephen J, and Janet L. Gaswint, Trustees' 0.972 acre tract the following two (2) courses:

- 1) N 43°01'48" W a distance of 228.38 feet to a 5/8" iron pin found.
- 2) S 53°13'37" W a distance of 273.46 feet to a 5/8" iron pin found in the northeast line of Lot 161 of Cedar Hills Subdivision, Section 4 as recorded in Plat Book 13, page 66 of the Muskingum County, Ohio Recorder's Office.

Thence with the northeast line of said Cedar Hills Subdivision, Section 4, N 39°26'43" W a distance of 193.12 feet to a 1" iron pipe found at a common corner for Lot 162 of said Cedar Hills Subdivision, Section 4 and Lot 163 of Cedar Hills Subdivision, Section 4 Revised as recorded in Plat Book 15, page 84 of the Muskingum County, Ohio Recorder's Office.

Thence east line of said Cedar Hills Subdivision, Section 4 Revised N 27°11'51" E a distance of 414.63 feet to a 5/8" iron pin found in the east line of Lot 166 of said Cedar Hills Subdivision, Section 4 Revised, and the southwest corner of a 1.65 acre tract now owned by John Schlaegel as recorded in Deed Book 1151, page 486 of the Muskingum County, Ohio Recorder's Office.

Thence with John Schlaegel's south and east line the following three (3) courses:

- 1) S 54°34'54" E a distance of 292.41 feet to a 5/8" iron pin found.
- 2) N 35°24'05" E a distance of 58.06 feet to a 5/8" iron pin found.
- 3) N 24°41'45" E (passing a 5/8" iron pin found at 151.81 feet) for a total distance of 191.18 feet to the centerline of State Route 146.

Thence with the centerline of State Route 146 S 56°04'43" E a distance of 472.93 feet to the point of beginning Containing 6.982 acres, more or less, of land, of which, 0.648 acres is in

the Right-of Way of State Route 146. Subject, however, to all legal highways, easements, and restrictions of record.

Bearings are based upon the recorded bearing (N 27°11'51" E), being a east line of Cedar Hills Subdivision, Section 4 Revised as recorded in Plat Book 15, page 84 in the Muskingum County, Ohio Recorder's Office.

Being the result of a survey and plat dated March 21, 2010, made under the supervision of Michael L. Huston, Ohio Registered Surveyor No. 8253.

Ohio Registered Surveyor No. 8253

