P.O. Box 3261 Zanesville, Ohio 43702 PH. (740) 454-0496

SURVEY DESCRIPTION FOR Mid-Ohio Properties, LLC

PART OF AUDITORS PARCELS 35-10-41-13-000 (46.81 Acres) 35-10-41-39-000 (0.37 Acres)

PART OF AUDITORS PARCEL 35-10-41-29-000 (0.81 Acres)

Situated in Lots 3, 4, 7, and 8 of Roberts survey of Quarter Township 1, and in lot 3 of Stagecoach Pass, Phase 1, T-2-N, R-9-W, U.S.M.L., Licking Township, Muskingum County, Ohio.

Beginning at the Southwest corner of Lot 3 of Stagecoach Pass, Phase 1, (P.B. 18, Pg. 122), located in the center of Old Stagecoach Road;

- Thence, S.63°52'58"W. a distance of 47.99 feet along the center of said road to a point;
- Thence, S.81°17'32"W. a distance of 103.57 feet along the center of said road to a point;
- Thence, S.69°11'28"W. a distance of 140.54 feet along the center of said road to a point;
- Thence, S.56°40'38"W. a distance of 3.24 feet along the center of said road to a point;
- Thence, N.35°48'23"W. a distance of 23.77 feet along the lands of, now or formerly, owned by J. Campbell (1958/946 & 2002/943) to a found iron pin;
- Thence, N.22°04'58"W. a distance of 163.73 feet along said Campbell lands lands to a found iron pin;
- Thence, N.38°29'12"W. a distance of 828.87 feet along said Campbell lands lands to a found iron pin;
- Thence, S.83°28'41"W. a distance of 734.17 feet along said Campbell lands lands to a found iron pin on the East line of the lands, now or formerly, owned by D. Wright (878/087);

Mid-Ohio Properties 47.99 Acres Page 2 of 2

- Thence, N.02°59'13"E. a distance of 1,232.03 feet along said Wright lands lands to a stone found on the South line of Lot 9;
- Thence, S.86°32'59"E. a distance of 1,430.24 feet along the South line of lot 9 to a found iron pin on the corner of lots 2,3,8, and 9;
- Thence, S.03°11'51"E. a distance of 1,777.37 feet through the lands of Mid-Ohio Properties, LLC, (2248/901 & 2248/907) and passing through lot 3 of Stagecoach Pass, Phase 1 (P.B.18, Pg. 122) to a found iron pin on the West line of said lot 3;
- Thence, S.27°50'17"E. a distance of 19.86 feet along said lot line to the point of beginning.

The above described parcel contains 47.99 acres, more or less and is subject to all legal easements and right of ways. All set rebars are 5/8" x 30" rebars with plastic I.D. caps. North is based upon an assumed meridian.

Description was prepared from an actual field survey by Bowman Surveying, Stephen M. Bowman, P.S.#7135. December 02, 2009. (M-09049)

DESCRIPTION
APPROVED
By



