BOWMAN SURVEYING P.O. Box 3261 Zanesville, Ohio 43702 PH. (740) 454-0496

SURVEY DESCRIPTION FOR Mid-Ohio Properties, LLC

PART OF AUDITORS PARCELS 35-10-41-13-000 (52.97 Acres)

ALL OF AUDITORS PARCEL 35-10-41-29-000 (0.81 Acres)

Situated in Lots 3, 4, 7, and 8 of Roberts survey of Quarter Township 1, T-2-N, R-9-W, U.S.M.L., Licking Township, Muskingum County, Ohio.

Beginning at the Southwest corner of Lot 3 of Stagecoach Pass, Phase 1, (P.B. 18, Pg. 122), located in the center of Old Stagecoach Road;

- Thence, **8.63°52'58"W.** a distance of **47.99** feet along the center of said road to a point;
- Thence, **S.81°17'32"W.** a distance of **103.57** feet along the center of said road to a point;
- Thence, **S.69°11'20"W.** a distance of **140.54** feet along the center of said road to a point;
- Thence, **S.56°38'47"W.** a distance of **3.24** feet along the center of said road to a point;
- Thence, N.35°48'23"W. a distance of 23.77 feet along the lands of, now or formerly, owned by J. Campbell (1958/946 & 2002/943) to a found iron pin;
- Thence, N.22°04'58'W. a distance of 163.73 feet along said Campbell lands lands to a found iron pin;
- Thence, N.38°29'12"W. a distance of 828.87 feet along said Campbell lands lands to a found iron pin;
- Thence, **S.83°28'41"W**. a distance of **734.17** feet along said Campbell lands lands to a found iron pin on the East line of the lands, now or formerly, owned by D. Wright (878/087);

Page 1 of 2

Mid-Ohio Properties 53.78 Acres Page 2 of 2


- Thence, N.02°59'13"E. a distance of 1,232.03 feet along said Wright lands lands to a stone found on the South line of Lot 9;
- Thence, **S.86°32'59"E.** a distance of **1,430.24** feet along the South line of lot 9 to a found iron pin on the corner of lots 2,3,8, and 9;
- Thence, 8.10°11'13"E. a distance of 1,395.60 feet through the lands of Mid-Ohio Properties, LLC, (2248/901) to a found iron pin on the Northeast corner of lot 3 of Stagecoach Pass, Phase 1 (P.B.18, Pg. 122);
- Thence, **S.65°40'29"W.** a distance of **241.77** feet along said lot to a found iron pin;
- Thence, **\$.65°21'31"W.** a distance of **266.15** feet along said lot to a found iron pin;
- Thence, **\$.27°50'17"E.** a distance of **289.12** feet along said lot line to the point of beginning, passing a found iron pin at 269.25'.

The above described parcel contains 53.78 acres, more or less and is subject to all legal easements and right of ways. All set rebars are 5/8" x 30" rebars with plastic I.D. caps. North is based upon an assumed meridian.

Description was prepared from an actual field survey by Bowman Surveying, Stephen M. Bowman, P.S.#7135. December 21, 2009. (M-09049)

DESCRIPTION





-