## Biedenbach Surveying, Inc.

Surveying and Mapping

Telephone (740) 453-4850 Fax (740) 450-1000

## CINDY MOHLER AUDITORS PARCEL NUMBER 38-38-60-02-02-000 (PART)

BEING A PART OF THE TRACT CONVEYED TO RAYMOND H. MOHLER IN VOLUME 1042, PAGE 287 OF THE MUSKINGUM COUNTY DEED RECORDS, SITUATED IN QUARTER TOWNSHIPS 1 AND 2, TOWNSHIP 2, RANGE 7, OF THE UNITED STATES MILITARY LANDS, MADISON TOWNSHIP, MUSKINGUM COUNTY, OHIO AND BEING FURTHER DESCRIBED AS FOLLOWS:

**BEGINNING** AT AN IRON PIN SET AT THE NORTHWEST CORNER OF QUARTER TOWNSHIP 1, TOWNSHIP 2, RANGE 7;

THENCE WITH THE NORTH LINE OF THE SAID QUARTER TOWNSHIP, ALSO BEING THE SOUTH LINE OF FRACTIONAL SECTION 23, TOWNSHIP 3, RANGE 7 AND THE SOUTH LINE OF A TRACT CONVEYED TO D. AND C. BICE, TRUSTEES IN O.R. VOLUME 1858, PAGE 74 OF THE MUSKINGUM COUNTY OFFICIAL RECORDS, SOUTH 88 DEGREES 15 MINUTES 57 SECONDS EAST, PASSING AN IRON PIN SET AT 499.33 FEET, A TOTAL DISTANCE OF 535.06 FEET TO A POINT IN THE CENTERLINE OF MADISON HALL ROAD (TOWNSHIP ROAD 164), SAID POINT BEING NORTH 88 DEGREES 15 MINUTES 57 SECONDS WEST 823.80 FEET FROM AN EXISTING IRON PIN (ALUMINUM MONUMENT);

THENCE LEAVING THE SAID NORTH LINE AND TRAVERSING INTO THE ABOVE SAID MOHLER TRACT WITH THE CENTERLINE OF THE SAID TOWNSHIP ROAD, THE FOLLOWING SEVEN COURSES AND DISTANCES:

- 1. SOUTH 41 DEGREES 34 MINUTES 08 SECONDS WEST 84.34 FEET TO A POINT;
- 2. WITH A CURVE TO THE LEFT HAVING A RADIUS OF 133.76 FEET (CHORD BEARING SOUTH 15 DEGREES 51 MINUTES 08 SECONDS WEST 98.85 FEET) AN ARC LENGTH OF 101.25 FEET TO A POINT:
- 3. WITH A CURVE TO THE LEFT HAVING A RADIUS OF 820.26 FEET (CHORD BEARING SOUTH 10 DEGREES 37 MINUTES 58 SECONDS EAST 169.64 FEET) AN ARC LENGTH OF 169.94 FEET TO A POINT:
- SOUTH 24 DEGREES 11 MINUTES 14 SECONDS EAST 194.17 FEET TO A POINT;
- 5. SOUTH 30 DEGREES 30 MINUTES 31 SECONDS EAST 120.95 FEET TO A POINT;
- 6. WITH A CURVE TO THE RIGHT HAVING A RADIUS OF 37.76 FEET (CHORD BEARING SOUTH 12 DEGREES 06 MINUTES 20 SECONDS WEST 52.23 FEET) AN ARC LENGTH OF 57.67 FEET TO A POINT;
- SOUTH 54 DEGREES 43 MINUTES 00 SECONDS WEST 102.55 FEET TO A POINT, SAID POINT BEING NORTH 46 DEGREES 29 MINUTES 38 SECONDS EAST 70.13 FEET FROM AN IRON PIN SET;

THENCE LEAVING THE SAID TOWNSHIP ROAD AND CONTINUING THROUGH THE SAID MOHLER TRACT, SOUTH 76 DEGREES 39 MINUTES 20 SECONDS WEST 247.12 FEET TO A POINT IN THE CENTER OF MOLLIES ROCK ROAD (COUNTY ROAD 40);

THENCE WITH THE SAID COUNTY ROAD AND CONTINUING THROUGH THE SAID MOHLER TRACT THE FOLLOWING TWO COURSES AND DISTANCES:

- WITH A CURVE TO THE RIGHT HAVING A RADIUS OF 217.90 FEET (CHORD BEARING NORTH 86 DEGREES 00 MINUTES 47 SECONDS WEST 111.73 FEET) AN ARC LENGTH OF 113.00 FEET TO A POINT;
- 2. NORTH 69 DEGREES 59 MINUTES 30 SECONDS WEST 211.48 FEET TO A POINT AT THE SOUTHEAST CORNER OF A TRACT CONVEYED TO R.H. MOHLER IN VOLUME 742, PAGE 63;

THENCE LEAVING THE SAID COUNTY ROAD AND WITH THE EAST LINE OF THE SAID R.H. MOHLER (VOLUME 742, PAGE 63) TRACT, NORTH 18 DEGREES 41 MINUTES 53 SECONDS EAST 153.24 FEET TO AN IRON PIN SET IN THE R,H, MOHLER (VOLUME 1042, PAGE 287) TRACT, PASSING AN IRON PIN SET AT 38.71 FEET;

THENCE CONTINUING THROUGH THE ABOVE SAID MOHLER (VOLUME 1042, PAGE 287) TRACT THE FOLLOWING TWO COURSES AND DISTANCES:

- 1. NORTH 71 DEGREES 51 MINUTES 01 SECONDS WEST 298.11 FEET TO AN IRON PIN SET;
- 2. SOUTH 18 DEGREES 11 MINUTES 45 SECONDS WEST 150.39 FEET TO A POINT IN THE CENTER OF THE ABOVE SAID COUNTY ROAD, PASSING AN IRON PIN SET AT 119.99 FEET;

**THENCE** WITH THE SAID COUNTY ROAD AND CONTINUING THROUGH THE SAID MOHLER (VOLUME 1042, PAGE 287) TRACT THE FOLLOWING THREE COURSES AND DISTANCES:

- 1. NORTH 71 DEGREES 18 MINUTES 04 SECONDS WEST 13.02 FEET TO A POINT;
- 2. WITH A CURVE TO THE RIGHT HAVING A RADIUS OF 269.94 FEET (CHORD BEARING NORTH 54 DEGREES 44 MINUTES 51 SECONDS WEST 128.85 FEET) AN ARC LENGTH OF 130.11 FEET TO A POINT;

## Biedenbach Surveying, Inc.

3010 East Pike Zanesville, OH 43701 Surveying and Mapping

Telephone (740) 453-4850 Fax (740) 450-1000

3. NORTH 39 DEGREES 28 MINUTES 25 SECONDS WEST 563.58 FEET TO A POINT ON THE EAST LINE OF A TRACT CONVEYED TO R. AND D. HOOPER IN VOLUME 521, PAGE 53, SAID POINT BEING NORTH 00 DEGREES 56 MINUTES 28 SECONDS EAST 1008.84 FEET FROM AN EXISTING IRON PIN (ALUMINUM MONUMENT);

THENCE WITH THE EAST LINE OF THE SAID HOOPER TRACT, NORTH 00 DEGREES 56 MINUTES 28 SECONDS EAST 138.00 FEET TO AN IRON PIN SET ON THE SOUTH LINE OF THE ABOVE SAID BICE TRACT, PASSING AN IRON PIN SET AT 40.35 FEET;

THENCE WITH THE SOUTH LINE OF THE SAID BICE TRACT, ALSO BEING THE NORTH LINE OF QUARTER TOWNSHIP 2, TOWNSHIP 2, RANGE 7, SOUTH 87 DEGREES 15 MINUTES 56 SECONDS EAST 776.75 FEET TO THE PLACE OF BEGINNING;

CONTAINING 17.149 ACRES, SUBJECT TO ALL LEGAL ROAD RIGHT OF WAYS OF MADISON HALL ROAD (TOWNSHIP ROAD 164), MOLLIES ROCK ROAD (COUNTY ROAD 40) AND ALL OTHER APPLICABLE EASEMENTS.

BEARINGS ARE BASED ON PLAT 14 OF THE PREVIOUS SURVEY OF THE TRI-VALLEY WILDLIFE AREA FOR THE OHIO DEPARTMENT OF NATURAL RESOURCES DATED DECEMBER 1, 1998 BY LINN ENGINEERING, INC.

I HEREBY CERTIFY TO THE BEST OF MY KNOWLEDGE AND BELIEF THE SURVEY AND DESCRIPTION TO BE CORRECT AS PREPARED BY ME, THIS 3RD DAY OF MARCH, 2011, FROM A SURVEY COMPLETED THE 2<sup>ND</sup> DAY OF MARCH, 2011.

MICHAEL D. REGISTERED SUR

MOSAM ... Đ. Michael S C. 0 S-8923 

There E O E O Sold

APPROVED

MUSKINGUM COUNTY PLANNING COMMISSION DIRECTOR

10 Date

Fee Paid

1 "sout: 1 = 100' BIEDENBYCH ZOKKEKING' CHORD - 512'06'20"W 52.23" -RAD - 37.76" ARC - 57.67" ্ geroved for Transfer AN MONEST YOU TONE PIC JR? SECTION 23 TRF. 3. RUNGE 7 \_CHORD — \$10'37'58'E 169.64' RAD — 820.26' ARC — 169.94' -CHORD — 515'51'08"W 98.85" RAD — 133.76" ARC — 101.25" BENG A PART OF THE TRACT CONNETED TO RATMOND IN MOLLIAR TOWN PACE 28TO OF THE AUGMENT TOWNSHIPS TO STRUTZ NO CHARTER TOWNSHIPS 1 HAND Z. TOWNSHIP Z. PANGE Z. OF THE UNITED STATES MULTIMO LANDS. MAGISON TOWNSHIP, MUSCHATCH COUNTY, ONG. BEANGS ARE BUCED ON PLAT 14 OF THE PREMOUS SURPEY OF THE THE VALLEY WINDLY LINE AND FOW THE VOICE OF THE DECEMBER 1 WINDLY RESIDENCES OF THE DECEMBER 1999 OF LOW DEVINEETHIC. NO. PENCE AS LOCATED #1 1877 BY W.J. SIEDWISHCH PSS718 CHORD - M85'00'47'W 111.73' RAD - 217.90' ARC - 113.00' Approved for Transfer No On-Lot Sewage Zanesville-Muskingum Co. Health Department C 1100 C 101 D SBE15'57'E 535.06' 707AL C 8'15 D. & C. BECL PRUSTES D.R. NOL. 1858, AC. 74 FENCE AS LOCATED (2011)
W CASLIVE MORT OF WAY AL TOLL PC 287 CONTRACT CONCR OF J. DANSER 1. TORNSON 1. Troy Mood PLANNING COMPUSSION DIRECTOR Fee Paid RAYMOND H. WOHLER VOL. 1042, PG. 287 17.149 ACRES #USKINGUM COUNTY W71.18'04 W S8715'56'E 776.73' (PRO) MITTERS AND THE STATE OF THE ST D. & C. SICE, TRUSTEES O.R. VOL. 1838, PC. 74 CHORD - N54'44'51"W 128.85' RAD - 269.84' ARC - 130.11' n C POLLET ROOK OTR. THE J, THP. J. RANGE 7 Date GTR. THP 2. THP. 2. ANNOS R. A. D. HOOFS VOL. 421, PC 55 R. 4. D. ACOURT FOL. 521, PC. 53

SHEET NO. S-1

28-28-60-02-02-000 (PART)

CINDY MOHLER

SURVEY FOR

3010 EAST PIKE ZANESVLLE, OHIO 43701 PH: 740-453-4850 F: 740-450-1000 PH: 740-453-4850 F: 740-450-1000