BOWMAN SURVEYING 38 N. 4th Street, Rm. 103 Zanesville, Ohio 43701 PH. (740) 454-0496

DRAFT

SURVEY DESCRIPTION FOR Crimson King Farms, LLC

AUDITORS PARCEL 44-02-07-05-003 (71.23 Acres)

Situated in the Northeast Quarter of Section 6, and the Northwest Quarter of Section 7, T-2-N, R-8-W, U.S.M.L., Muskingum Township, Muskingum County, Ohio. Being part of the lands of Crimson King Farms, LLC, conveyed in Deed Book 1854 page 327 of the Muskingum County Deed records, being described as follows:

Beginning at a found iron pin marking the Southeast corner of the Northwest Quarter of Section 7;

- Thence, S.89°10'20"W. a distance of 1981.22 feet along South line of said quarter section to a set rebar;
- Thence, N.13°41'46"E. a distance of 394.36 feet along a 8,00 acre parcel to a set rebar;
- Thence, N.82°19'13"W. a distance of 680.78 feet along said 8.00 acre parcel to a set rebar;
- Thence, S.86°46'46"W. a distance of 220.27 feet along said 8.00 acre parcel to a point in the center of Fawn Drive, passing a set rebar at 183.75 feet;
- Thence, N.08°35'00"W, a distance of 74.27 feet along the center line of said road to a point;
- Thence, N.02°14'13"W. a distance of 384.47 feet along the center line of said road to a point;
- Thence, S.83°11'34"E. a distance of 428.86 feet along the lands of R. Baker (1057/429 & 1060/320) to a found iron pin, passing a found iron pin at 30.00 feet;
- Thence, N.16°36'08"E. a distance of 494.60 feet along said Baker lands to a found iron pin on a corner of the lands, now or formerly, owned by M. Cooper (557/038);
- Thence, N.79°56'02"E. a distance of 184.18 feet along said Cooper lands to a found iron pin;

page 2 Crimson King Farms, LLC 71.23 acre parcel

- Thence, S.00°03'58"E. a distance of 57.55 feet along said Cooper lands to a found iron pin;
- Thence, N.89°52'06"E. a distance of 2,082.81 feet along said Cooper lands to a found iron pin on the east line of the Northwest Quarter of Section 7;
- Thence, S.00°03'58"E. a distance of 453.17 feet along said quarter section line to a found iron pin, passing a found iron pin at 84.69 feet;
- Thence, S.01°36'23"W. a distance of 840.48 feet through said quarter section line to the point of beginning.

The above described parcel contains 71.23 acres, more or less, and is subject to all legal easements and right of ways. All set rebars are 5/8" x 30" rebars with plastic I.D. caps. North is based upon an assumed meridian.

Description was prepared from an actual field survey by Bowman Surveying, Stephen M. Bowman, P.S.#7135. November 16, 2004.

11-18-2004

OFFICE COPY NOT RECORDABLE

