P.O. Box 3261 ZANESVILLE, OHIO PH./FAX (740) 454-0496

SURVEY DESCRIPTION FOR Crimson King Farms, LLC

AUDITORS PARCEL 44-14-01-01-000 (60.66 Acres) 44-14-01-04-000 (54.70 Acres)

Situated in Lots 5 and 6 of Quarter Township 3, T-2-N, R-8-W, U.S.M.L., Muskingum Township, Muskingum County, Ohio.

Beginning at iron pin found marking the Southeast corner of Lot 5;.

- Thence, N.88°37'02"W. a distance of 1,260.67 feet along the South line of Lot 5 to a found iron pin on the Southeast corner of the lands, now or formerly, owned by D. & M. Wilcox (1756/721);
- Thence, N.32°21'55"W. a distance of 519.22 feet along said Wilcox lands to a found iron pin on the corner of the lands, now or formerly, owned by C. & A. Luthi (2043/370);
- Thence, N.36°42'45"E. a distance of 193.10 feet along said Luthi lands to a found iron pin;
- Thence, N.02°39'44"E. a distance of 124.85 feet along said Luthi lands to a found iron pin;
- Thence, N.87°05'52"W. a distance of 634.68 feet along aaid Luthi lands to a found iron pin;
- Thence, S.34°09'29"W. a distance of 210.22 feet along said Luthi lands to a point in the center of Gorsuch Road, passing a found iron pin at 178.22';
- Thence, M.57°56'25"W. a distance of 74.22 feet along said road to a point;
- Thence, N.59°32'42"W. a distance of 8.13 feet along said road to a point;
- Thence, N.72°00'22"W. a distance of 52.95 feet along aaid road to a point;
- Thence, N.78°27'17"W. a distance of 262.15 feet along said road to a point;
- Thence, N.79°47'56"W. a distance of 133.96 feet along said road to a point;
- Thence, N.80°14'00"W. a distance of 139.28 feet along said road to a point;
- Thence, N.71°42'03"W. a distance of 85.65 feet along said road to a point;
- Thence, N.52°39'59"W. a distance of 22.69 feet along said road to a point;
- Thence, N.12°55'56"E. a distance of 720.37 feet leaving said road and along the lands, now or formerly, owned by J. & S. McCarty (1756/721) to a found iron pin;
- Thence, N.87°33'49°E. a distance of 360.52 feet along said McCarty lands to a found iron pin;
- Thence, N.07°15'38"W. a distance of 232.49 feet along said McCarty lands to a found iron pin;

- Thence, S.76°17'30"W. a distance of 383.38 feet along said McCarty lands to a found iron pin;
- Thence, S.11°06'33"W. a distance of 840.61 feet along said McCarty lands to a point in the center of Gorsuch Road;
- Thence, N.52°39'59"W. a distance of 17.77 feet along said road to a point;
- Thence, N.37°48'04"W. a distance of 187.21 feet along said road to a point;
- Thence, N.30°53'58"W. a distance of 232.57 feet along said road to a point on the West line of Lot 6;
- Thence, N.01°22'21"E. a distance of 302.69 feet along the west line of lot 6 to a found iron pin;
- Thence, N.02°11'48"E. a distance of 453.40 feet along the west line of lot 6 to a found iron pin on the Southwest corner of the lands, now or formerly, owned by Nancy R. Sarap, Trust (2158/335);
- Thence, **3.87°59'15"E**. a distance of **990.00 feet** along the South line of said Sarap lands to a found iron pin;
- Thence, N.02°12'20"E. a distance of 891.01 feet along the East line of said Sarap lands to a found iron pin on the North line of Lot 6;
- Thence, 8.87°58'53"E. a distance of 1,567.70 feet along the North line of lots 6 and 5 to a point on the Northwest corner of the lands, now or formerly, owned by B. & C. Vansickle (2200/614);
- Thence, S.02°03'59"W. a distance of 1,861.35 feet along said Vanaickle lands to a found iron pin, passing a found iron pin at 9.30 feet;
- Thence, 8.62°01'49"E. a distance of 145.59 feet along said Vansickle lands to a found iron pin;
- Thence, S.30°53'22"E. a distance of 141.22 feet along said Vansickle lands to a found iron pin;
- Thence, 8.01°27'45"W. a distance of 452.82 feet along said Vansickle lands to a found iron pin;
- Thence, 8.89°35'32"E. a distance of 478.33 feet along said Vansickle lands to a point on the East line of lot 5, passing a found iron pin at 467.71 feet;
- Thence, S.02°26'20"W. a distance of 248.19 feet along the East line of lot 5 to the point of beginning.

The above described parcel contains 115.36 Acres, more or less, aubject to all legal easements and right of ways. All set rebars are 5/8" x 30" rebars with plastic I.D. caps. North is based upon an assumed meridian.

Description was prepared from an actual survey by Bowman Surveying, Stephen M. Bowman, P.S.#7135. August 9, 2009. (m-09033)

APPROMED APPROMED APPROMED



