



www.mcpeeklandsurveying.com  
email: brian@mcpeeklandsurveying.com  
340 Robin Hood Ln., \* Zanesville, Oh 43701 \* 740.704.6073

**Donald F. Hampp & Garnet L. Hampp as Trustees of the Donald F. Hampp and Garnet L. Hampp Revocable Trust Dated August 18, 2001**

**OR 1604-419**

**+/-37.176 Ac.**

**All of: 47-04-01-22-000**

Situated in the State of Ohio, County of Muskingum, Township of Newton, Southeast Quarter of Section 1, T17, R15. Being all of the land now owned by Donald F. Hampp & Garnet L. Hampp as Trustees of the Donald F. Hampp and Garnet L. Hampp Revocable Trust Dated August 18, 2001 as recorded in OR 1604-419 of the Muskingum County Records office and more particularly described as follows.

Beginning for reference at an iron pin found (roof bolt) at the northeast corner of said southeast quarter, thence with the east line of said southeast quarter, S 03°30'08" W a distance of 258.87 feet to an iron pin found (roof bolt) at the southeast corner of the lands now owned by Jerry R. & Miriam A. Erb (OR 2970-132), the principal place of beginning;

thence continuing with the east line of said southeast quarter, S 03°30'08" W a distance of 258.87 feet to a point in the center of Slack Road (T-90), passing an iron pin found (roof bolt) at 232.88 feet;

thence with the center of said Slack Road and then onto and with the center of Ford Road (T-412) the following twenty-two (22) courses:

1. S 65°06'55" W a distance of 0.78 feet to a point;
2. S 68°53'49" W a distance of 210.00 feet to a point;
3. with a curve turning to the right an arc length of 235.43 feet, a radius of 847.91 feet, with a chord bearing of S 82°30'16" W and a chord length of 234.67 feet, to a point, referenced by an iron pin set that bears N 66°37'26" E a distance of 52.56 feet;
4. with a reverse curve turning to the left an arc length of 164.37 feet, a radius of 972.50 feet, with a chord bearing of S 82°39'12" W and a chord length of 164.18 feet, to a point;
5. with a reverse curve turning to the right an arc length of 337.87 feet, a radius of 1770.45 feet, with a chord bearing of S 80°25'46" W and a chord length of 337.36 feet, to a point;
6. N 88°46'39" W a distance of 242.47 feet to a point;
7. N 86°31'51" W a distance of 101.04 feet to a point;
8. with a curve turning to the left an arc length of 232.38 feet, a radius of 403.55 feet, with a chord bearing of S 74°06'19" W and a chord length of 229.18 feet, to a point;
9. S 57°36'31" W a distance of 121.99 feet to a point;
10. with a curve turning to the left an arc length of 124.85 feet, a radius of 321.46 feet, with a chord bearing of S 49°06'10" W and a chord length of 124.07 feet, to a point;
11. with a reverse curve turning to the right an arc length of 185.74 feet, a radius of 182.83 feet, with a chord bearing of S 59°00'36" W and a chord length of 177.86 feet, to a point;
12. S 88°06'52" W a distance of 218.17 feet to a point;
13. with a curve turning to the left an arc length of 256.69 feet, a radius of 363.83 feet, with a chord bearing of S 73°03'09" W and a chord length of 251.40 feet, to a point;
14. with a reverse curve turning to the right an arc length of 202.86 feet, a radius of 160.66 feet, with a chord bearing of S 85°33'58" W and a chord length of 189.65 feet, to a point, referenced by an iron pin set that bears N 44°32'08" W a distance of 52.16 feet;
15. N 59°36'22" W a distance of 120.40 feet to a point;
16. with a curve turning to the right an arc length of 161.72 feet, a radius of 174.01 feet, with a chord bearing of N 13°03'06" W and a chord length of 155.96 feet, to a point;
17. N 06°07'20" E a distance of 202.25 feet to a point;
18. N 00°32'56" W a distance of 93.44 feet to a point;
19. with a curve turning to the right an arc length of 125.49 feet, a radius of 376.30 feet, with a chord bearing of N 01°04'15" E and a chord length of 124.91 feet, to a point;
20. N 10°37'29" E a distance of 75.88 feet to a point;
21. with a curve turning to the left an arc length of 150.83 feet, a radius of 619.62 feet, with a chord bearing of N 07°40'52" E and a chord length of 150.45 feet, to a point;
22. N 00°42'28" E a distance of 135.64 feet to a point on the southwest corner of said Erb's lands;

thence with the north line of said Hampp Revocable Trust, S 86°20'49" E a distance of 2586.72 feet to the principal place of beginning, passing an iron pin found (newcome) at 14.70 feet and an iron pin found (daniels) at