## DESCRIPTION OF SURVEY FOR CLARK R CAMPBELL AND BETHANY J CAMPBELL JOB#1874-1

Situated in the State of Ohio, County of Muskingum, Township of Newton:

Being part of the Southeast Quarter, of Section 5, of Township 15, Range 14, of the Congress Lands East of the Scioto River, **being part of** the Carol L Cowden TOP Daniel L Cowden property recorded in Official Record Volume 1911, Page 890, of said county's deed records, further to be known as Muskingum County **Auditor's Parcel Number 47-08-01-07-000**, and more particularly described as follows;

Commencing at an iron pin (found) at the Center of Section 5:

- TIE-1 THENCE South 87 degrees 16 minutes 35 seconds East 303.65 feet along the common line for the Southeast and Northeast Quarters of Section 5 to an iron pin (found) at a common corner for the Clark R Campbell and Bethany J Campbell properties recorded in Official Record Volume 1554, Page 464 and Official Record Volume 1880, Page 461;
- TIE-2 THENCE South 24 degrees 03 minutes 00 seconds East 440.72 feet along said Campbell properties to an iron pin (found) at a corner of the Starr Jinkens and Mark Jinkens property recorded in Official Record Volume 1777, Page 698;
- TIE-3 THENCE South 26 degrees 37 minutes 05 seconds East 787.63 feet continuing along said Campbell and Jinkens properties to an iron pin (found);
- **TIE-4 THENCE South 86 degrees 11 minutes 10 seconds East 362.53 feet** continuing along said Campbell and Jinkens properties to an iron pin (found) on the West line of the Clark R Campbell and Bethany J Campbell property recorded in Official Record Volume 1554, Page 461;
- TIE-5 THENCE South 19 degrees 35 minutes 15 seconds West 51.96 feet continuing along said Campbell properties to an iron pin (found) on the North line of said Cowden property;
- TIE-6 THENCE South 86 degrees 11 minutes 10 seconds East 96.11 feet along said Campbell and Cowden properties to an iron pin (set) at the place of beginning for the property herein intended to be described;
- **#1- THENCE South 86 degrees 11 minutes 10 seconds East 70.00 feet** continuing along said Campbell and Cowden properties to an iron pin (found);
- **#2- THENCE South 19 degrees 40 minutes 10 seconds West 70.00 feet** continuing along said Campbell and Cowden properties to an iron pin (set);
- **#3-** THENCE North 33 degrees 15 minutes 30 seconds West 84.39 feet crossing said Cowden property to the place of beginning containing 0.05 acres.


The bearings within this description are based on State Plane Coordinate Grid (Ohio South 1983) derived from Solar Observations (Local Hour Angle Method). Iron pins (set) are 5/8" rebar with identification caps (C.R.Harkness P.L.S.6885).

This description was written by Charles R. Harkness Professional Land Surveyor #6885 from an actual survey completed on February 19, 2011 in accordance with Chapter 4733-37 of the Administrative Code, and is intended to be used for the legal transfer of the property described and does not intend to describe all or any easements of record, nor encroachments unless otherwise indicated.

CHARL R Charles R. Harknes HARKNESS SONAL S APPROVED MUSKINGUM COUNTY PLANNING COMMISSION DIRECTOR 3/+ ,

Fee Paid

Date



Situated in the State of Ohio, County of Muskingum, Township of Newton:

Being part of the Southeast Quarter, of Section #5, Township #15, Range #14, of the Congress Lands East of the Scioto River, **being all of** the C Campbell property intended to be described in deed reference Deed Book Volume 920, Page 310, known as Muskingum County **Auditor's Parcel Number 47-08-01-16-000**, and more particularly described as follows;

Commencing at a stone (found marked with an X) at the Northeast corner of said Southeast Quarter, of Section #5, also being on the line between Newton and Springfield Townships of said County; thence S 02 59 30 W 370.00 feet along the common line for Section #4 and Section #5 of said Township and Range to an iron pin (found) at the Southeast corner of the R P Gill property recorded in deed reference Deed Book Volume 1016, Pege 19; thence S 02 59 30 W 679.58 feet continuing along the common line for Section #4 and Section #5 to an iron pin (found) at the Northeast corner of the T & R Norvaria property recorded in deed reference Deed Book Volume 705, Page 129; thence N 86 58 10 W 408.15 feet into said Southeast Quarter of Section #5, along the North line of said Novaria property to the Northwest corner of said Novaria property, passing an iron pin (set) at 388.15 feet; thence N 52 29 50 W 485.46 feet through said E J Gill property to a metal fence post (found) at the Northeast corner of said Campbell property, also being the place of beginning for the property herein intended to be described

- #1- thence S 19 37 50 W 602.23 feet along the Eest line of said Campbell property to the center line of a 50 foot wide easement recorded in deed reference Deed Book 758, Page 340, also being a line of the D & C Cowden property recorded in deed reference Deed Book Volume 1070, Page 109, passing an iron pin (found) at 577.06 feet;
- #2- thence along a curve to the left having a chord bearing N 75 06 10 W 207.45 feet, radius of 519.08 feet, and arc length of 208.85 feet for seid Cowden property and center of said easement to an iron pin (found);
- #3- thence N 86 37 50 W 69.26 feet continuing along said Cowden property and center of said easement to an iron pin (found) on the East line of the D & C Cowden property recorded in deed reference Deed Book Volume 758, Pege 340;
- #4- thence N 19 40 10 E 169.69 feet elong the East line of said Cowden property to an iron pin (found) at the Northeast corner of said Cowden property;
- #5- thence N 86 11 10 W 166.11 feet along the North line of said Cowden property to an iron pin (set) at the Southwest corner of said Campbell property;
- #6- thence N 19 35 20 E 514.98 feet along the West line of said Campbell property to an iron pin (set) et the Northwest corner of said Campbell property, passing an iron pin (found) on the North line of a 50 foot wide easement recorded in deed reference Deed Book Volume 1124, Page 238 at 51.96 feet;
- #7- thence S 70 17 10 E 433.32 feet along the North line of said Cambell property to the place of beginning containing 5.63 acres, passing an iron pin (set) at 260.82 feet;

The bearings within this description are based on State Plane Coordinate Grid derived from a Solar Observation (Locel Hour Angle Methed). Bearings are shown in e format of Degrees, Minutes, and Seconds. Iron pins (set) are 5/8" rebar with identification caps (C.R.Harkness PLS 6885).

This description was written by Charles R. Harkness Professional Land Surveyor #6885 from an actual survey completed on May 25, 2000, and is intended to be used for legal transfer of the property described, and does not intend to describe all or any easements ef record, nor encroachments unless otherwise indicated.



DESCRIPTION APPROVED FOR AUDIPOR TRANSFER 6-16-2000

