The real estate, the transfer of which is memorialized by this certificate, is described as follows [describe below, using extra sheets if necessary. If decedent's interest was a fractional share, be sure to so state]:

Situated in the County of Muskingum, in the State of Ohio, and in the Township of Newton, and bounded and described as follows:

Township 17, Range 15, being a part of F. Williams, Wolume 843, page 170, being part of the Southwest Quarter of Section 23, and more particularly described as follows:

(Tract Three) Beginning at an iron pin found at the Southwest corner of Section 23; thence on the South line of Section 23 North 89 degrees 06 minutes 00 seconds East 1166.45 feet to an iron pin set and the place of beginning; thence leaving said line North 03 degrees 46 minutes 38 seconds West (90.45) feet to an iron pin set passing an iron pin set at 118.98 feet; thence North 02 degrees 20 minutes 45 seconds East 79.19 feet to an iron pin set; thence North 84 degrees 32 minutes 03 seconds East 45.51 feet to an iron pin set; thence North 05 degrees 19 minutes 34 seconds West 183.80 feet to an iron pin set; thence North 08 degrees 04 minutes 27 seconds West 810.33 feet to an iron pin set; thence North 87 degrees 18 minutes 12 seconds East 231.97 feet to an iron pin set; thence South 00 degrees 09 minutes 06 seconds West 955.10 feet to an iron pin set; thence South 87 degrees 35 minutes 09 seconds East 136.06 feet to a corner post; thence South 00 degrees 19 minutes 45 seconds West 304.68 feet to a point on the south line of Section 23 passing an iron pin set at 230.82 feet; thence with said line South 89 degrees 06 minutes 00 seconds west 147.72 feet to a point in the centerline of State Route 22; thence leaving said line south line and with the centerline of said road South 74 degrees 44 minutes 19 seconds west 123.12 feet to a point; thence leaving said centerline North 03 degrees 46 minutes 38 seconds west 30.58 feet to the place of beginning containing 5.52 acres in Section 23 and 0.04 acres in Section 26, a total of 5.56 acres, more or less. SUBJECT TO all legal highways and easements.

Also EXCEPTING a 20 foot easement being 10 feet on both sides of the following described centerline: Beginning at an iron pin found at the Southwest corner of Section 23; thence on the south line of Section 23 North 89 degrees 06 minutes 00 seconds east 1166.45 feet to an iron pin set; thence leaving said line South 03 degrees 46 minutes 38 seconds east 30.58 feet to a point in the centerline of State Rout 22; thence with said centerline North 74 degrees 44 minutes 19 seconds east 10.20 feet and the place of beginning of this

Continued...

November 5, 1996

JOSEPH A. GORMLEY

## **AUTHENTICATION**

I certify that the above document is a true copy of the original kept by me as custodian of the official records of this Court.

November 5, 1996

Sharon S. Byg

}a te

MATE OF FAYE WILLIAMS, DECEASED MUSKINGUM COUNTY PROBATE COURT CASE NO. 961155

## CERTIFICATE OF TRANSFER NO. 1

Page -2-

easement; thence North 03 degrees 46 minutes 38 seconds west 218.46 feet to a point; thence North 02 degrees 20 minutes 45 seconds 80.03 feet, SUBJECT TO all legal highways and easements.

SUBJECT TO State Route 22 right-of-way. Iron pins set are 5/8 inch rebar with plastic identification caps. Bearings are based on the West line of Section 23 as being North 00 degrees 24 minutes 50 seconds east.

This description written from a survey made by Cannon Land Surveying, Kevin Cannon, Registered Surveyor #7224, on June 13, 1994.

AUDITOR'S PARCEL NO. 47-34-23-19-000 and 47-72-26-08-000

Being the same premises transferred to Faye Williams by a Certificate of Transfer from Ervil Donald Williams, deceased, dated December 8, 1980, and recorded in <u>Deed Book 843</u>, page 170 of the Deed Records of Muskingum County, Ohio.

DESCRIPTION APPROVED
FOR AUDITIONS TRANSFER
BY

11-6-96

## annon Land Surveying 7845 Twp. Rd. 114 NE New Lexington, Ohio 43764 (614) 342-2835 P. Norman Vol.978 Pg.82 D. Norman Jr. Vol.1046 pg.210 Used to Denote Angles Only N 30.00.00.E 1290.911 Total 573.65 717.26 61.61 Acres total F. Williams Val.843 Pg.170 51.77 Acres In Section 23 Assumed Meridian and Are Di schosed 54.6) Acres total In Tract One Perry ЦĪ å LINE BEARING DISTANCE S 871181121W Ł 1 231.971 Tract Test T three \$ 87'35'09'E 136,061 L 2 L 3 S 89'06'00'W 147.721 5.52 Maps. \$ 74'44'19"\ 123.121 N 03'46'38'W 221.031 L 5 5.56 aps, Tax M 900 L S 02'20'45"W 6 79.19 Acres total S 8432'03'W 45.51 7 L \$ 1515'42'E đ L 8 146.56 L g S 03'46'38'E 149.56 ٥ a a 82.61 N 59'47'47"W 10 0 **3**\\_\_\_ 112.58 N 07'56'35"W L 11 919 юä N 43'02'35"W 54.00 L 12 ت ت L i3 N 57 14114"W Hereon 169.48 U.S. Eris N 03'46'38"W y is Subje-218.46 ί 14 N 02'20'45'E 80.03 L 15 S 05:19'34'E 183.80 Shown Survey Bearings Tract Two 0.64 Acres ę žo. This a S/W Corner of Section 23 Total Acres Ò 443.05 L3 or N 89'05'00'E 73.86° 0ffset 432.699 W 26.00 10.20 Ac. 733.56 Section Center a Ren Scale $I^n = 300$ 122.59 é 30.58 14.44 19.W M. James Vol.956 Pg.157 0.80 000 521 A9 St. Rt. 22 Legend S. Rusnak Jr. Vol.1057 Pg.107 G. McBee Vol.1054 Pg.259 D. Hill Vol.978 Pg.207 iron Fin Set 5/8 Reber W/Cap Iron Pin Found Kevin Cannon Date Corner Post Reg. # 7224 8 4 R.R. Spike Set Δ R.R. Spike Found Survey For: John Smith State: Ohio 0 Drilled Hole 5/8" County: Muskingum Stone Found Township: Newton T-17 R-15 Lot: N/A Section: 23 & 26 City or Village: N/A CANNON PK Nail Bet O PK Nail Found Subdivision: N/A Parcel #: 47-34-23-19(PT) Parcel #: 47-72-26-08(PT) Fance Basis Of Bearings DESCRIPTION APPROVED FOR AUDITORS TRANSFER

11-6.96