

Know all Men by these Presents

FRANKLIN C. FORD, ake FRANKLIN P. FORD, unmerried, and 47-86-33-23-002 That JERRY F. OWENS and FLORENCE Y. OMENS, his wife,

7769 ROSE HELL DD

Muskingum

County, State of Ohio, for valuable consideration paid, grant

with general warranty covenants, to AMY L. CHENS and CHRISTOPHER T. BLACK

whose tax mailing address is

7695 Rose Hill Road Roseville, Ohio 43777

the following real property:

Situated in the County of Muskingum, in the State of Ohio and the Township of Newton, and bounded and described as follows:

Being a 3.004 acre tract of land in the Southeast Quarter of Section 33, Township 15, Range 14, as conveyed to Franklin P. Ford, et al, (hereon referred to as grantor) in Deed Volume 269, Page 111, in the Recorder's Office of Muskingum County, Ohio. Also being SUBJECT TO all legal easements and Muskingum County, Ohio. rights-of-way of record and being more particularly described as follows:

Commencing for reference at an 1½ O.D. inch iron pipe found at the Southeast corner of said Section 33; thence along the Section line, also the Muskingum-Perry County line, North 83 degrees, 53 minutes, 49 seconds West, a distance of 766.57 feet to a point on the West right-of-way line of County Road 696 (old State Route 75); thence North 11 degrees, 21 minutes, 30 seconds East, a distance of 1447.93 feet along the Most might of the line of County Road 696. a distance of 1447.83 feet along the West right-of-way line of County Road 696 and passing a railroad spike at 1204.24 feet set in asphalt at the Southeast corner of a newly created 3.362 acre parcel and the North edge of County Road 127, to a point at the beginning of a curve in the West right-of-way line of said County Road; thence with the West right-of-way line and curve of said County Road, the following 2 courses: 1) North 13 degrees, 47 minutes, 34 seconds Rast, a distance of 155.88 feet to a point; 2) North 19 degrees, 08 minutes, 12 seconds Rast, a distance of 46.05 feet to a railroad spike set in the West right-of-way line of said County Road and the center of an existing driveway, said spike being the point of beginning for the newly created 3.004 acre tract; thence North 75 degrees, 20 minutes, 24 seconds West, a distance of 96.92 feet on a new division line through the grantor's lands and with the center of an existing gravel drive to an iron pipe set; thence North 85 degrees, 43 minutes, 45 seconds West, a distance of 140.86 feet with the center of the driveway to an iron pipe set; thence South 05 degrees, 27 minutes, 15 seconds West, a distance of 78.60 feet leaving the center of the driveway and continuing on the new division line to an iron pipe set; thence South 84 degrees, 52 minutes, 37 seconds West, a distance of 143.84 feet to an iron pipe set in the East right-of-way line of State Route 93; thence North 17 degrees, 55 minutes, 52 seconds East, a distance of 85.73 feet with the East right-of-way line of to a concrete right-of-way mornment found; thence North 33 degrees, 03 minutes, 57 seconds East, a distance of 86.62 feet with the right-of-way line to a concrete right-of-way monument found: thence North 18 degrees, 59 minutes, 37 seconds East, a distance of 295.80 feet with the East right-of-way line of State Route 93 to an iron pipe set at the Southwest corner of a tract of land conveyed to N. Melick, Jr., as conveyed in Deed Volume 445, Page 630; thence South 83 degrees, 22 minutes, 19 seconds East, a distance of 368.41 feet along the South line of said Melick tract and the grantors lands and along an old existing fence line to an iron pipe set in the West right-of-way line of County Road 696; thence along the West right-of-way line and curve of said County Road, the following 4 courses: 1) South 26 degrees, 18 minutes, 00 seconds West, a distance of 159.86 feet to a point; 2) South 25 degrees, 17 minutes, 54 seconds West, a distance of 80.95 feet to a point; 3) South 22 degrees, 27 minutes, 30 seconds West, a distance of 69.61 feet to a point; 4) South 19 degrees, 08 minutes, 12 seconds West, a distance of 57.62 feet to a railroad spike and the point of beginning, containing 3.004 acres.

THE PARKET STATE OF THE PARKET OF THE PARKET

Being Auditor's Parcel Number 46-47-86-33-23-000.

THERE IS ALSO CONVEYED to the grantees, their heirs and assigns, being a right-of-way and easement for ingress and egress over and through the following parcel of real estate, to-wit:

Being 10.00 feet on a newly created 3.004 acre tract of land and 10.00 feet on a newly created 3.362 acre tract in the Southeast Quarter of Section 33, Township 15, Range 14, as conveyed to Franklin P. Ford, et al. (hereon referred to as grantor) in Deed Volume 269, Page 111, in the Recorder's Office of Muskingum County, Ohio. Also being SUBJECT TO all legal easements and rights-of-way of record and being more particularly described as follows:

Commencing for reference at a $1\frac{1}{2}$ O.D. inch iron pipe found at the Southeast corner of said Section 33; thence along the Section line, also the Muskingum-Perry County line, North 83 degrees, 53 minutes, 49 seconds West, a distance of 766.57 feet to a point on the West right-of-way line of County Road 696 (old State Route 75); thence North 11 degrees, 21 minutes, 30 seconds East, a distance of 1447.83 feet along the West right-of-way line of County Road 696 and passing a railroad spike at 1204.24 feet set in asphalt at the Southeast corner of a newly created 3.362 acre parcel and the North edge of County Road 127 to a point at the beginning of a curve in the West right-of-way line of said County Road; thence with the West right-of-way line and curve of said County Road, the following 2 courses: 1) North 13 degrees, 47 minutes, 34 seconds East, a distance of 155.88 feet to a point; 2) North 19 degrees, 08 minutes, 12 seconds East, a distance of 46.05 feet to a railroad spike set in the West right-of-way line of said County Road and the center of an existing driveway, said spike being the point of beginning for the newly created 3.004 acre tract and the point of beginning for the centerline of a 20.00 foot wide easement; thence North 75 degrees, 20 minutes, 24 seconds West, a distance of 96.92 feet on a new division line through the grantor's lands and with the center of an existing gravel drive to an iron pipe set; thence North 85 degrees, 43 minute, 45 seconds West, a distance of 140.86 feet with the center of the driveway to an iron pipe set and the point of termination of the centerline of said 20.00 foot wide easement, 10.00 feet being on the North side of a new division line for a 3.004 acre parcel and 10.00 feet being on the South side of the new division line for a 3.362 acre parcel, containing 0.109 acres, more or less.

The bearing system for this description is based on the centerline of State Route 93 being North 17 degrees, 56 minutes, 00 seconds East.

All iron pipe set are 3/4 inch by 30 inch steel pipe with plastic I.D. caps.

This description was prepared on May 6, 1992 by Mark L. Kitemiller, Registered Surveyor # 7382 and is based on an actual field survey of the premises and existing public records.

DESCRIPTION APPROVED FOR AUDITOR'S TRANSFER

64 14 97 amble

