51-01-04-11 51-01-04-10-001 3900 PIAER TOA

TERRY FINLEY

Surveying & Mapping
Ohio Registered Surveyor #S-7222
155 Mockingbird Hill, Zanesville, OH 43701
Phone or FAX (740) 454-8721

LEGAL DESCRIPTION 96.626 acres

Situated in the State of Ohio, County of Muskingum, Township of Perry, and being part of the northwest and southwest quarters of Section 4, Township 1, Range 6, and being part of those lands intended to be described in Deed Volume 402, page 407; being further bounded and described as follows:

Beginning at a stone found in the center of said Section #4, thence, along the east line of the southwest quarter thereof, south 01 degrees – 09 minutes – 24 seconds west, 984.09 feet, along the west line of those lands now or formerly owned by J. Burwell, Deed Volume 993, page 37, to a magnetic nail set in a cerner post;

Thence, north 89 degrees – 07 minutes – 00 seconds west, 2289.34 feet along the north line of those lands now or formerly owned by G. Omdorff, Deed Volume 698, page 128, and T. Glass, Deed Volume 1863, page 775, to en iron pin found at the southeast corner of those lands now or formerly owned by A. Duncan and T. Moore, Deed Volume 1658, page 706, passing an axle found at 1963.95 feet;

Thence, along said A. Duncan property, the following two (2) courses and distances:

- north 01 degrees 27 minutes 53 seconds east, 212.65 feet to an iron pin found
- north 88 degrees 57 minutes 17 seconds west, 409.70 feet to a point in the center of Piper Road, passing an iron pin found at 388.12 feet;

Thence, along said road, the following two (2) courses and distances:

- north 01 degrees 30 minutes 39 seconds east, 222.42 feet to a point;
- 2. north 01 degrees 09 minutes 14 seconds east, 985.90 feet to a point;

Thence, leaving said road, with a new division line through the lands of K. & M. Duncan, Deed Volume 402, page 407, the fellowing two (2) ceurses and distances:

- south 89 degrees 10 minutes 40 seconds east, 345.14 feet to an iron pin set, passing an iron pin set at 25.00 feet;
- north 00 degrees 49 minutes 22 seconds east, 200.00 feet to an iron pin set;

Thence, south 88 degrees – 54 minutes – 16 seconds east, 2352.58 feet, along the south line of those lands now or tormerly owned by William & Jean Duncan, Deed Volume 554, page 367 to a magnetic nail set in a comer post;

Thence, south 01 degrees – 09 minutes – 24 seconds west, along the quarter section line and along aforesaid J. Burwell line, 629.67 feet to the **point of beginning**, and **containing 96.626 acres more or less**.

fron pins set are 5/8" rebar with yellow identification cap (Finley S-7222).

Subject to all legal highways and easements, whether recorded or implied.

Bearings described herein are based on the east line of the southwest quarter of Section 4 as south 01 degrees – 09 minutes – 24 seconds west.

Being part of Auditor's Parcel #51-01-04-10-000 - 37.789 acres all of Auditor's Parcel #51-01-04-11-000 - 58.837 acres 66.626 acres total

90,020 acres total

This description, written on September 12, 2005, is based on an actual survey by Terry J. Finley, Ohio Registere The Payer #S/7222/

21-2005

TERRY J.
FINLEY

FINLE

Terry J Finley, Registered Surveyor #S-7222

APPROVED FOR CLOSURE

EXEMPT FROM PLANNING COMMISSION

1)-2wr

EXEMPT FROM PLANNING COMMISSION SITUATED IN THE STATE OF OHIO COUNTY OF MUSKINGUM TOWNSHIP OF PERRY AND BEING 1-21-200> PART OF THE NORTHWEST AND SOUTHWEST QUARTERS OF SECTION 4.T-1, R-6 AND BEING WILLIAM AND JEAN DUNCAN D.V.554,PG.367 PART OF THOSE LANDS INTENDED TO BE DESCRIBED IN DEED VOLUME 402 PAGE 407. 96626 an only \$ 88*54"16" E 2352.58 SEE TRACT 2 N-00-49-22-E 200.00 THE BEARINGS SHOWN HEREON ARE BASED ON THE EAST LINE OF THE SOUTHWEST QUARTER OF SECTION 4 AS S-01-09-24-W. S 89"10'40" E 346.14 AUDITOR'S PARCEL NO. S 01'09'24" W 629.67 51-01-04-10-000 PART PASSING AT 25.00 37.789 AC. APPROVED FOR CLOSURE 200 400 SCALE:1"=400" CENTERLINE PIPER ROAD 01.09.14 NORTHWEST QUARTER SECTION LINE 9662600 coly J.BURWELL SOUTHWEST QUARTER SECTION LINE 893/37 STONE FOUND AT 2 LEGEND: IRON PIN FOUND IRON PIN SET 98.628 AC. CENTER OF SECTION 4 STONE FOUND FENCE POST CORNER WITH MAG NAIL AXEL FOUND POINT AUDITOR'S PARCEL NO. S 01*09'24" W 984.09 51-01-04-11-000 ALL 56.837 AC. TATE OF ONE N-01-30-38-E 222.42 THIS PLAT AND ACCOMPANYING DESCRIPTION WERE PREPARED ON SEPT.12TH 2005 BY TERRY J. FINLEY CHID REGISTER D. SURVEYOR #S-7222 BASED ON AN INTUAL SURVEY AND IS SUBJECT TO A SEGAL HIGHWAYS AND EAST MENTS, INCORDED OR MADUED. LYRR3T A.DUNCAN & T.MOORE N 88°57'17" W 1858/708 FINLEY 409.70 N-01-27-53-E IMPLIED. YOR PASSING @ 1983.95 77222 212.65 N 89°07'00" W PASSING @ 388,12 2289.34 **G.ORNDORFF** T.GLASS 1883/775 698/128 TARRY J. FINLEY SURVEYING AND MAPPING 155 MOCKINGBIRD HILL ZANESVILLE, OHIO 43701 DATE: 9/12/2005 SCALE: 1" = 400" DRAWN BY: TUF