DESCRIPTION FOR EVERETT AND EVA GORDON

situated in the Township of Perry, County of Muskingum, and tate of Ohio, and being a parcel of land in the Third Quarter of Township 1, Range 6 of the United States Military District and being more particularly described as follows:

Commencing at a stone found at the center of the Third Quarter of Township 1, thence S5°41'59"W along the east line of the southwest quarter of said Third Quarter a distance of 450.00 feet to a PK nail set; thence S73°18'32"W a distance of 277.46 feet to a PK nail set in the center of State Route 797, the BEGINNING; thence S7°27'12"E along the center of State Route 797 a distance of 403.87 feet to a PK nail set; thence leaving said centerline S88°14'01'W along the north line of the land of Connie Watton a distance of 82.08 feet to an iron pin found on the west right-of-way line of State Route 797; thence continuing S88°14'01"W along Watton's north line a distance of 146.32 feet to a treated 4x4 post; thence S5°38'06"W along Watton's west line as described in Volume 708, Page 172 of the Deed Records of Muskingum County a distance of 100.31 feet to an iron pin found on the south line of the land of Everett Gordon as described in Volume 864, Page 314 of said records; thence N84°13'56"W along Gordon's south line a distance of 50.65 feet to an iron pin set; thence along a new division line through the land of Everett Gordon the following four courses and distances:

- (1) N06°58'16"E a distance of 159.27 feet to an iron pin set;
- (2) N33°32'52"E a distance of 230.24 feet to an iron pin set on the west right-of-way line of State Route 797;
- (3) N00°43'00"W a distance of 130.00 feet to an iron pin set on said right-of-way line, bearing S00°43'00"E a distance of 69.00 feet from an axle found;
- (4) N76°17'01"E a distance of 93.88 feet to the point of beginning, containing 1.631 acres.

EXCEPTING from this description a right-of-way for road purposes sold by Clifford H. Hicks to State of Ohio and recorded in Volume 321, Page 333 of said records and being described as follows:

OFFICE COPY NOT RECORDABLE

Y OF ZANESVILLE

MD

POST FOUND

1 FOUND

IL SET

AKKER (CONC)

E FOUND

LOCATION

PERRY TWP, MUSKINGUM CO. 3 POTR, TWRI, RG.6

SURVEY BY

CHARLES W. HUNNELL "6889

350 MAPLE AVE.

SEMECAVILLETON 43780 APRIL ZZ 1994

narles 19 10 686:5049

ncing at a concrete right-of-way marker found on the ine of the land of Connie Watton as desribed in Volume 708; 72 of the Deed Records of Muskingum County, thence N19°01'02"W distance of 131.62 feet to an iron pin found, the BEGINNING; thence N18°18'24"W along the west right-of-way line of State Route 797 a distance of 187.90 feet to a point; thence thence NO°43'00"W along said west right-of-way line a distance of 202.35 feet to an iron pin set (passing on line an iron pin set at 72.35 feet); thence N76°17'01"E a distance of 93.88 feet to a PK nail set in the Center of State Route 797; thence S7°27'12"E along said centerline a distance of 403.87 feet to a PK nail set; thence leaving said centerline S88°14'01"W a distance of 82.08 feet to the point of beginning, containing 0.925 acres.

This description is part of the land conveyed to Everett Gordon as recorded in Volume 864, Page 314 of the Deed Records of Muskingum County and has been designated as Auditor's Parcel #51-63-07-17 (PART)

SUBJECT to all leases, easements, and other rights-of-way of public record, if any.

A survey of this description was made April 22, 1994 by Charles W. Hunnell, R.L.S. #6889. Bearings are based on description of right-of-way as described in Volume 321, Page 333 of said records. All iron pins set are 5/8"X30" rebar capped HUNNELL 6889.

Chr. OFFICE COPY. CC. NOT RECORDABLE

DESCRIPTION APPROVED

CITY OF ZANESVILLE

GEND TONE FOUND

ENCE POST FOUND

ROH PIH FOUND

ron pin set

/11 MAKKER (CONC)

AR AXLE FOUND

LOCATION

PERRY TWP, MUSKINGUM CO.

3 ROATE, TWF. 1, RG. 6

CHARLES W. HUNNELL

685-5049

