## Baseline Surveying, Inc.

Land Surveying and Construction Layout

3010 East Pike Zanesville, OH 43701

Email: bei@rrohio.com

Telephone (740) 453-4850 Fax (740) 450-1000

#### BLAKE T. ARTHUR AUDITORS PARCEL NUMBER 51-51-70-03-17-000 (PART)

BEING A PART OF THE PARCEL CONVEYED TO BLAKE T. ARTHUR IN O.R. VOLUME 2440, PAGE 907 OF THE MUSKINGUM COUNTY OFFICIAL RECORDS, SITUATED IN QUARTER TOWNSHIP 3, TOWNSHIP 1, RANGE 6, OF THE UNITED STATES MILITARY LANDS, PERRY TOWNSHIP, MUSKINGUM COUNTY, OHIO AND BEING FURTHER DESCRIBED AS FOLLOWS:

**COMMENCING** AT THE SOUTHWEST CORNER OF QUARTER TOWNSHIP 3;

**THENCE** NORTH 06 DEGREES 01 MINUTES 35 SECONDS EAST 2501.50 FEET (DEED) TO A POINT IN THE CENTER OF COUNTY ROAD 42 (OLD WHEELING ROAD), SAID POINT BEING THE NORTHWEST CORNER OF A PARCEL CONVEYED TO JACK W. McCLELLAND, TRUSTEE AND JEFF R. BEAM, TRUSTEE (O.R. VOLUME 2675, PAGE 511-O.R. VOLUME 2513, PAGE 625);

**THENCE** WITH THE CENTER OF THE SAID ROAD (NORTH LINE OF THE SAID McCLELLAND AND BEAM PARCEL), SOUTH 83 DEGREES 03 MINUTES 58 SECONDS EAST 58.73 FEET (DEED)TO A POINT, SAID POINT BEING SOUTH 01 DEGREES 30 MINUTES 55 SECONDS WEST 23.44 FEET FROM AN EXISTING IRON PIN (5/8 INCH REBAR-BENT);

THENCE WITH THE CENTER OF THE SAID ROAD, SOUTH 83 DEGREES 07 MINUTES 30 SECONDS EAST 581.53 FEET TO A POINT, SAID POINT BEING THE PLACE OF BEGINNING FOR THE PARCEL HEREIN INTENDED TO BE DESCRIBED;

THENCE LEAVING THE SAID ROAD AND TRAVERSING THROUGH THE ABOVE SAID ARTHUR PARCEL, NORTH 26 DEGREES 08 MINUTES 08 SECONDS EAST, PASSING AN IRON PIN SET AT 34.00 FEET, A TOTAL DISTANCE OF 371.64 FEET TO AN EXISTING IRON PIN (5/8 INCH REBAR-INSIDE 3/4 INCH PIPE), SAID EXISTING IRON PIN BEING ON THE WEST LINE OF A PARCEL CONVEYED TO DALE O. HARTBERGER (O.R. VOLUME 2121, PAGE 435);

**THENCE** WITH THE WEST LINE OF THE SAID HARTBERGER PARCEL THE FOLLOWING TWO COURSES AND DISTANCES:

- 1. SOUTH 47 DEGREES 35 MINUTES 25 SECONDS EAST 207.98 FEET TO AN EXISTING IRON PIN (5/8 INCH REBAR);
- 2. SOUTH 23 DEGREES 50 MINUTES 55 SECONDS EAST 267.51 FEET TO A POINT IN THE ABOVE SAID OLD WHEELING ROAD (NORTH LINE OF THE SAID McCLELLAND AND BEAM PARCEL), PASSING AN IRON PIN SET AT 237.51 FEET;

THENCE LEAVING THE SAID HARTBERGER WEST LINE AND WITH THE CENTER OF THE SAID ROAD (NORTH LINE OF THE McCLELLAND AND BEAM PARCEL), NORTH 83 DEGREES 07 MINUTES 30 SECONDS WEST 428.51 FEET TO THE PLACE OF BEGINNING.

# Baseline Surveying, Inc.

Land Surveying and Construction Layout

3010 East Pike Zanesville, OH 43701

Email: bei@rrohio.com

Telephone (740) 453-4850 Fax (740) 450-1000

**CONTAINING** 1.983ACRES, SUBJECT TO ALL LEGAL ROAD RIGHT OF WAYS OF COUNTY ROAD 42 (OLD WHEELING ROAD) AND ALL OTHER APPLICABLE EASEMENTS.

ALL IRON PINS SET ARE 5/8 INCH X 30 INCH REBAR WITH PLASTIC IDENTIFICATION CAPS (BASELINE PS6923-PS8536).

BEARINGS ARE BASED ON OHIO STATE PLANE COORDINATE SYSTEM 1983 (2011), OHIO SOUTH ZONE, GRID, DERIVED FROM A GPS OBSERVATION.

I, JASON LEACHMAN, PS 8536, HEREBY CERTIFY TO THE BEST OF MY KNOWLEDGE AND BELIEF THE SURVEY AND DESCRIPTION TO BE CORRECT AS PREPARED BY ME, THIS 29th DAY OF MARCH 2018, FROM A FIELD SURVEY COMPLETED BY ME ON THE 23rd DAY OF MARCH 2018.

PROFESSIONAL SURVEYOR 8536

APPROVED

MUSKINGUM COUNTY

PLANNING COMMISSION DIRECTOR

Fee Paid


### SURVEY FOR BLAKE ARTHUR

AUDITORS PARCEL NUMBER 51-51-70-03-17-000 (PART)

BEING A PART OF THE PARCEL CONVEYED TO BLAKE T. ARTHUR IN O.R. VOLUME 2440, PAGE 907 OF TH MUSKINGUM COUNTY OFFICIAL RECORDS, SITUATED IN QUARTER TOWNSHIP 3, TOWNSHIP 1, RANGE 6, OF THE UNITED STATES MILITARY LANDS, PERRY TOWNSHIP, MUSKINGUM COUNTY, OHIO.

BEARINGS ARE BASED ON OHIO STATE PLANE COORDINATE SYSTEM 1983(2011), OHIO SOUTH ZONE, GRID, DERIVED FROM A GPS OBSERVATION.





DESCRIPTION

Fee Paid

NOTE: BENT 3/4" PIPE, PROTRUDING APPROXIMATELY 1' ABOVE GROUND, WAS NOT USED. IT'S LOCATION DOESN'T MATCH DEED ANGLES OR DISTANCES, ROAD BANK MAY HAVE BEEN CUT DOWN IN THE PAST.

### RESEARCH

SOUTHWEST CORNER OF QUARTER TOWNSHIP 3

DEEDS AS SHOWN ULLUS AS SHUWN
PREVIOUS SURVEY OF A 10.00± AC. PARCEL
COMPLETED APRIL 17, 1980 BY J.R. MARSHALL PS5307
PREVIOUS SURVEY OF A 25.633 AC. PARCEL
COMPLETED OCT. 28, 1994 BY W.J. BIEDENBACH PS5718
MUSKINGUM COUNTY GIS

### LEGEND

- EXISTING IRON PIN
- IRON PIN SET (5/8" REBAR W/CAP)

SCALE 1"=100 200 50 100

I, JASON LEACHMAN, HEREBY CERTIFY TO
THE BEST OF MY KNOWLEDGE AND BELIEF THE
ABOVE PLAT AND SURVEY TO BE CORRECT AS
PREPARED BY ME, THIS 29th DAY OF MARCH,
2018, FROM A FIELD SURVEY COMPLETED THE
23rd DAY OF MARCH, 2018

JASON LEACHMAN ORDAB

PROFESSIONAL SURVEYOR #8536



THIS PROPERTY IS SUBJECT TO ALL APPLICABLE EASEMENTS, RIGHT OF WAYS, OR RESTRICTIONS, WHETHER RECORDED OR IMPLIED. THIS PLAT, PREPARED IN ACCORDANCE WITH CHAPTER 4733—37 OF THE ADMINISTRATIVE CODE, IS INTENDED FOR THE LEGAL TRANSFER OF THE PROPERTY SHOWN AND DOES NOT INTEND TO SHOW ANY OR ALL OF THE EASEMENTS, RIGHT OF WAYS, RESTRICTIONS OR ENCROACHMENTS UNLESS OTHERWISE INDICATED.

BASELINE SURVEYING, INC. 3010 EAST PIKE, ZANESVILLE, OHIO 43701 phone: 740-453-4850, fax: 740-450-1000, email: BEl@rrohio.com

DRAWN BY: JWL	DATE: 03-29-18	SCALE: 1"=100'
CHECKED BY: MDN	JOB NO: 6067	DRAWING NO: Z:\6067\6067.dwg