

Description of Parcel No. 7

Situated in the State of Ohio, County of Muskingum, Township of Rich Hill, being in the southwest quarter of Section 9, Range 11 West, Township 13 North, of "The Congress Lands East of the Scioto River", and being bounded and described as follows:

Commencing for reference at an unmarked stone found at the center of Section 9, said unmarked stone being the southeast corner of a 157.00 acres tract conveyed to Larry Frick by Deed Volume 892, Page 244 of the Muskingum County Recorder's Office (Note: Reference bearing on the east line of the southeast quarter of Section 9 used as South 02°58'02" West.);

thence, with the east line of the southeast quarter Section 9, the west line of a 32.51 acres tract conveyed to Ohio Power by Deed Volume 525, Page 707, and the west line of a 5.94 acres tract conveyed to Mark Robinson by Deed Volume 1026, Page 459 of the Muskingum County Recorder's Office, South 02°58'02" West a distance of 2,155.48 feet to an iron pin set at the northeast corner of a 30.00 acres tract as conveyed to Herbert Brill by Deed Volume 523, Page 275 of the Muskingum County Recorder's Office;

thence, leaving the quarter section line and running with the north line of said Brill property, North 87°39'16" West a distance of 543.00 feet to an iron pin set, said iron pin set, being THE TRUE POINT OF BEGINNING for this description;

thence, from said Point of Beginning continuing with the north line of said Brill property, North 87°39'16" West a distance of 506.00 feet to an iron pin set;

thence, leaving said Brill property, North 08°51'00" East a distance of 506.21 feet to a point in the centerline of State Route No. 313 (Claysville Road), passing through two iron pins set at distances of plus 386.20 feet and plus 486.20 feet, respectively;

thence, with the centerline of State Route No. 313, the following five courses:

1. South 77°54'04" East a distance of 24.94 feet to a point;
2. thence South 82°27'45" East a distance of 59.75 feet to a point;
3. thence South 86°37'00" East a distance of 59.46 feet to a point;

4. thence North 89°54'03" East a distance of 81.20 feet to a point;  
5. thence North 87°38'28" East a distance of 144.42 feet to a point;  
thence, leaving said road, South 06°37'07" East a distance of 513.82 feet to The Point of Beginning, passing through two iron pins set at distances of plus 20.00 feet and plus 120.00 feet, respectively;

containing 5.008 acres, more or less, being part of Parcel No. 53-53-20-09-04-000.

Subject to all legal right-of-ways, easements, restrictions, reservations, and zoning regulations of record.

Subject to the right-of-way of State Route No. 313.

Subject to the 100 year Flood Plain restrictions, if applicable.

Subject to any facts that may be disclosed in a full and accurate title search.

Subject to a 40.00 feet wide easement being reserved unto the grantor, his heirs, and/or assigns, forever. Said easement is for the purposes of running utilities to other parcels of land on or near the centerline of State Route No. 313. Said easement runs in a east-west direction across the north end of the above described property with the north line of said easement being the centerline of State Route No. 313. Containing 0.340 acres, more or less, of easement.

All iron pins set are 1/2" x 30" rebar capped and labeled "Claus 6456".

The bearings in this description are for angle calculations only and are based on the east line of the southeast quarter of Section 9 used as an assumed bearing of South 02°58'02" West.

The above description prepared by Roger W. Claus, Registered Surveyor No. 6456, based on a new survey of July 14, 1994.

Prior Deed: Deed Volume \_\_\_\_\_, Page \_\_\_\_\_

DESCRIPTION APPROVED  
FOR ABSTRACT PREPARATION

*R. W. Claus*

7-18-94

LARRY FRICK  
150.00 AC.  
V. 834 P. 150

LARRY FRICK  
157.00 AC.  
V. 892 P. 214

R.R. LARRY MILLER, ET AL.  
V. 1042 P. 400

# SURVEY PLAT

for  
**BRUNER LAND CO.**

Blotched in the State of Ohio, County of \_\_\_\_\_, Section \_\_\_\_\_, Township \_\_\_\_\_, Range \_\_\_\_\_, Meridian \_\_\_\_\_, the following described land, to-wit:

0.70 Acre  
82.71 Ac.  
V. 525 P. 701


SCALE 1" = 500'  
200' 400'

THIS SURVEY IS MADE IN ACCORDANCE WITH THE ACTS OF THE LEGISLATURE OF THE STATE OF OHIO, PASSED MARCH 27, 1852, AND MARCH 27, 1853, AND THE ACTS OF THE LEGISLATURE OF THE STATE OF OHIO, PASSED MARCH 27, 1852, AND MARCH 27, 1853, AND THE ACTS OF THE LEGISLATURE OF THE STATE OF OHIO, PASSED MARCH 27, 1852, AND MARCH 27, 1853.



John W. Clark, P.E.  
Surveyor General  
State of Ohio

LINE	BEARINGS	DIST.
1	S 71° 42' 00" W	388.65'
2	S 79° 32' 00" W	471.18'
3	N 62° 32' 11" E	666.62'
4	N 63° 24' 08" E	148.56'
5	N 61° 22' 31" E	283.51'
6	N 74° 40' 38" E	594.14'
7	N 74° 36' 45" E	84.64'
8	N 81° 30' 02" E	87.58'
9	S 80° 04' 00" W	97.84'
10	S 77° 16' 30" E	72.88'
11	S 68° 22' 41" E	74.67'
12	S 63° 17' 30" E	814.10'
13	S 62° 58' 27" E	474.82'
14	S 67° 25' 10" E	474.82'
15	S 72° 01' 10" E	85.22'
16	S 72° 01' 10" E	85.22'
17	S 64° 12' 14" E	59.88'
18	S 64° 12' 14" E	59.88'
19	S 64° 12' 14" E	59.88'
20	S 64° 12' 14" E	59.88'
21	S 64° 12' 14" E	59.88'
22	S 64° 12' 14" E	59.88'
23	S 64° 12' 14" E	59.88'
24	S 64° 12' 14" E	59.88'
25	S 64° 12' 14" E	59.88'
26	S 64° 12' 14" E	59.88'
27	S 64° 12' 14" E	59.88'
28	S 64° 12' 14" E	59.88'
29	S 64° 12' 14" E	59.88'
30	S 64° 12' 14" E	59.88'
31	S 64° 12' 14" E	59.88'
32	S 64° 12' 14" E	59.88'
33	S 64° 12' 14" E	59.88'
34	S 64° 12' 14" E	59.88'
35	S 64° 12' 14" E	59.88'
36	S 64° 12' 14" E	59.88'
37	S 64° 12' 14" E	59.88'
38	S 64° 12' 14" E	59.88'
39	S 64° 12' 14" E	59.88'
40	S 64° 12' 14" E	59.88'
41	S 64° 12' 14" E	59.88'
42	S 64° 12' 14" E	59.88'
43	S 64° 12' 14" E	59.88'
44	S 64° 12' 14" E	59.88'
45	S 64° 12' 14" E	59.88'
46	S 64° 12' 14" E	59.88'
47	S 64° 12' 14" E	59.88'
48	S 64° 12' 14" E	59.88'
49	S 64° 12' 14" E	59.88'
50	S 64° 12' 14" E	59.88'
51	S 64° 12' 14" E	59.88'
52	S 64° 12' 14" E	59.88'
53	S 64° 12' 14" E	59.88'
54	S 64° 12' 14" E	59.88'
55	S 64° 12' 14" E	59.88'
56	S 64° 12' 14" E	59.88'
57	S 64° 12' 14" E	59.88'
58	S 64° 12' 14" E	59.88'
59	S 64° 12' 14" E	59.88'
60	S 64° 12' 14" E	59.88'
61	S 64° 12' 14" E	59.88'
62	S 64° 12' 14" E	59.88'
63	S 64° 12' 14" E	59.88'
64	S 64° 12' 14" E	59.88'
65	S 64° 12' 14" E	59.88'



1. I HEREBY CERTIFY THAT THIS PLAT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THE BEARINGS AND DISTANCES ARE AS ACTUALLY FOUND BY ME OR BY OTHERS UNDER MY SUPERVISION.

2. I HEREBY CERTIFY THAT THIS PLAT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THE BEARINGS AND DISTANCES ARE AS ACTUALLY FOUND BY ME OR BY OTHERS UNDER MY SUPERVISION.

3. I HEREBY CERTIFY THAT THIS PLAT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THE BEARINGS AND DISTANCES ARE AS ACTUALLY FOUND BY ME OR BY OTHERS UNDER MY SUPERVISION.

4. I HEREBY CERTIFY THAT THIS PLAT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THE BEARINGS AND DISTANCES ARE AS ACTUALLY FOUND BY ME OR BY OTHERS UNDER MY SUPERVISION.

5. I HEREBY CERTIFY THAT THIS PLAT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THE BEARINGS AND DISTANCES ARE AS ACTUALLY FOUND BY ME OR BY OTHERS UNDER MY SUPERVISION.

6. I HEREBY CERTIFY THAT THIS PLAT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THE BEARINGS AND DISTANCES ARE AS ACTUALLY FOUND BY ME OR BY OTHERS UNDER MY SUPERVISION.

7. I HEREBY CERTIFY THAT THIS PLAT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THE BEARINGS AND DISTANCES ARE AS ACTUALLY FOUND BY ME OR BY OTHERS UNDER MY SUPERVISION.

8. I HEREBY CERTIFY THAT THIS PLAT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THE BEARINGS AND DISTANCES ARE AS ACTUALLY FOUND BY ME OR BY OTHERS UNDER MY SUPERVISION.

9. I HEREBY CERTIFY THAT THIS PLAT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THE BEARINGS AND DISTANCES ARE AS ACTUALLY FOUND BY ME OR BY OTHERS UNDER MY SUPERVISION.

10. I HEREBY CERTIFY THAT THIS PLAT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THE BEARINGS AND DISTANCES ARE AS ACTUALLY FOUND BY ME OR BY OTHERS UNDER MY SUPERVISION.

940702-1