

LINE	MEASUREMENT	TEST/ASSAY
1.1	58.30 ± 0.05	81.13
1.2	58.30 ± 0.05	81.13
1.3	58.30 ± 0.05	81.13
1.4	58.30 ± 0.05	81.13
1.5	58.30 ± 0.05	81.13
1.6	58.30 ± 0.05	81.13
1.7	58.30 ± 0.05	81.13
1.8	58.30 ± 0.05	81.13
1.9	58.30 ± 0.05	81.13
1.10	58.30 ± 0.05	81.13
1.11	58.30 ± 0.05	81.13
1.12	58.30 ± 0.05	81.13
1.13	58.30 ± 0.05	81.13
1.14	58.30 ± 0.05	81.13
1.15	58.30 ± 0.05	81.13
1.16	58.30 ± 0.05	81.13
1.17	58.30 ± 0.05	81.13
1.18	58.30 ± 0.05	81.13
1.19	58.30 ± 0.05	81.13
1.20	58.30 ± 0.05	81.13
1.21	58.30 ± 0.05	81.13
1.22	58.30 ± 0.05	81.13
1.23	58.30 ± 0.05	81.13
1.24	58.30 ± 0.05	81.13
1.25	58.30 ± 0.05	81.13
1.26	58.30 ± 0.05	81.13
1.27	58.30 ± 0.05	81.13
1.28	58.30 ± 0.05	81.13
1.29	58.30 ± 0.05	81.13
1.30	58.30 ± 0.05	81.13
1.31	58.30 ± 0.05	81.13
1.32	58.30 ± 0.05	81.13
1.33	58.30 ± 0.05	81.13
1.34	58.30 ± 0.05	81.13
1.35	58.30 ± 0.05	81.13
1.36	58.30 ± 0.05	81.13
1.37	58.30 ± 0.05	81.13
1.38	58.30 ± 0.05	81.13
1.39	58.30 ± 0.05	81.13
1.40	58.30 ± 0.05	81.13
1.41	58.30 ± 0.05	81.13
1.42	58.30 ± 0.05	81.13
1.43	58.30 ± 0.05	81.13
1.44	58.30 ± 0.05	81.13
1.45	58.30 ± 0.05	81.13
1.46	58.30 ± 0.05	81.13
1.47	58.30 ± 0.05	81.13
1.48	58.30 ± 0.05	81.13
1.49	58.30 ± 0.05	81.13
1.50	58.30 ± 0.05	81.13
1.51	58.30 ± 0.05	81.13
1.52	58.30 ± 0.05	81.13
1.53	58.30 ± 0.05	81.13
1.54	58.30 ± 0.05	81.13
1.55	58.30 ± 0.05	81.13
1.56	58.30 ± 0.05	81.13
1.57	58.30 ± 0.05	81.13
1.58	58.30 ± 0.05	81.13
1.59	58.30 ± 0.05	81.13
1.60	58.30 ± 0.05	81.13
1.61	58.30 ± 0.05	81.13
1.62	58.30 ± 0.05	81.13
1.63	58.30 ± 0.05	81.13
1.64	58.30 ± 0.05	81.13
1.65	58.30 ± 0.05	81.13
1.66	58.30 ± 0.05	81.13
1.67	58.30 ± 0.05	81.13
1.68	58.30 ± 0.05	81.13
1.69	58.30 ± 0.05	81.13
1.70	58.30 ± 0.05	81.13
1.71	58.30 ± 0.05	81.13
1.72	58.30 ± 0.05	81.13
1.73	58.30 ± 0.05	81.13
1.74	58.30 ± 0.05	81.13
1.75	58.30 ± 0.05	81.13
1.76	58.30 ± 0.05	81.13
1.77	58.30 ± 0.05	81.13
1.78	58.30 ± 0.05	81.13
1.79	58.30 ± 0.05	81.13
1.80	58.30 ± 0.05	81.13
1.81	58.30 ± 0.05	81.13
1.82	58.30 ± 0.05	81.13
1.83	58.30 ± 0.05	81.13
1.84	58.30 ± 0.05	81.13
1.85	58.30 ± 0.05	81.13
1.86	58.30 ± 0.05	81.13
1.87	58.30 ± 0.05	81.13
1.88	58.30 ± 0.05	81.13
1.89	58.30 ± 0.05	81.13
1.90	58.30 ± 0.05	81.13
1.91	58.30 ± 0.05	81.13
1.92	58.30 ± 0.05	81.13
1.93	58.30 ± 0.05	81.13
1.94	58.30 ± 0.05	81.13
1.95	58.30 ± 0.05	81.13
1.96	58.30 ± 0.05	81.13
1.97	58.30 ± 0.05	81.13
1.98	58.30 ± 0.05	81.13
1.99	58.30 ± 0.05	81.13

DESCRIPTION
APPROVED
By: [Signature] 1/18/2019

Reduced copy, not to scale, Larger
copy available in the Muskingum
County Engineer's Map Dept.