

Situated in the State of Ohio, County of Muskingum, Township of Salem, Township 2-N, Range 6-W, and being a part of Sections 14 and 15, and being further described as follows:

Beginning at the northwest corner of the above said Section 14, said corner being monumented by a corner stone,

thence, South $88^{\circ} 18' 00''$ East, 864.05 feet along the north line of said Section 14 to a point in the center of the Zanesville-Adamsville Road (State Route 93), passing an existing iron pin at 700.40 feet at the southeast corner of L. and B. Wisecarver (Deed Book 458, Page 403)

thence, with the following 21 calls for distances and directions to points on the centerline of the pavement of the Zanesville-Adamsville Road (State Route 93)

- 1 South $52^{\circ} 14' 04''$ West, 135.02 feet,
- 2 South $55^{\circ} 20' 23''$ West, 117.14 feet,
- 3 South $62^{\circ} 31' 15''$ West, 101.27 feet,
- 4 South $71^{\circ} 28' 53''$ West, 91.05 feet,
- 5 South $77^{\circ} 08' 26''$ West, 108.19 feet,
- 6 South $72^{\circ} 59' 22''$ West, 103.63 feet,
- 7 South $67^{\circ} 18' 17''$ West, 93.40 feet,
- 8 South $63^{\circ} 52' 47''$ West, 101.53 feet,
- 9 South $52^{\circ} 02' 33''$ West, 88.54 feet,
- 10 South $38^{\circ} 15' 48''$ West, 49.50 feet,
- 11 South $27^{\circ} 50' 03''$ West, 52.64 feet,
- 12 South $13^{\circ} 15' 39''$ West, 94.21 feet,
- 13 South $06^{\circ} 12' 52''$ West, 311.37 feet,
- 14 South $08^{\circ} 16' 47''$ West, 80.69 feet,
- 15 South $15^{\circ} 34' 08''$ West, 99.78 feet,
- 16 South $24^{\circ} 56' 08''$ West, 91.88 feet,
- 17 South $33^{\circ} 03' 29''$ West, 105.20 feet,
- 18 South $37^{\circ} 28' 17''$ West, 123.27 feet,
- 19 South $41^{\circ} 29' 36''$ West, 104.99 feet,
- 20 South $44^{\circ} 55' 50''$ West, 168.25 feet,
- 21 South $46^{\circ} 15' 30''$ West, 385.20 feet, to a point at the intersection of the centerlines of the said Zanesville-Adamsville Road and Valley Road (Township Road 156)

thence, North $46^{\circ} 17' 33''$ West, 391.46 feet along the centerline of said Valley Road to a point,

thence, in a northerly direction with the following six calls for distances and directions along an easterly line of the Muskingum Mining Company (Deed Book 797, Page 164)

- 1 North $49^{\circ} 32' 02''$ East, 174.78 feet to a point, passing an iron pin (set) at 30.00 feet,
- 2 North $08^{\circ} 52' 34''$ East, 146.32 feet to a point, passing an iron pin (set) at 3.00 feet,
- 3 South $89^{\circ} 53' 17''$ East, 99.36 feet to a point, passing an iron pin (set) at 3.00 feet,
- 4 North $05^{\circ} 23' 57''$ West, 794.39 feet to a point, passing an iron pin (set) at 3.00 feet,

5 North 31° 21' 33" East, 78.57 feet to a point,
passing an iron pin (set) at 3.00 feet.
6 North 01° 27' 33" East, 472.81 feet to a point on
the north line of Section 15, being also the south
line of E. Rasor (Deed Book 733, Page 175) passing
an iron pin (set) at 5.00 feet,
thence, South 88° 22' 40" East, 804.26 feet along the south line
of said E. Rasor, being also the north line of said
Section 15 to the place of beginning.

Containing 4.874 acres in Section 14
28.155 acres in Section 15
Total 33.029 acres more or less

Subject to easements of Zanesville-Adamsville Road
(State Route 93), Valley Road (Township Road 156) and
other easements of record.

Prior Deed Reference--Deed Book 867, Page 331
Part of Auditors Parcel N^O 56-56-40-14-07 Section 14
Part of Auditors Parcel N^O 56-56-40-15-01 Section 15

Filed by
OFFICE COPY
NOT RECORDABLE
William H. Decker
Registered Surveyor #5437
Jan. 11, 1989

DESCRIPTION APPROVED
FOR AUDITOR'S TRANSFER

BY

J L Tumbler

1-02-89

E. RASOR
733 - 175

L & B WISECARYER
458 - 403

PART OF
PARCEL N^o 56-56-40-14-07
4.874 Ac.±

S 88° 22' 40" E
804.26'

ADAMSVILLE ROAD - SR 93

PART OF
PARCEL N^o 56-56-40-15-01
28.155 Ac.±

Sec 14 4.874 Ac.±
Sec 15 28.155 Ac.±

Total 33.029 Ac.±

0 100 200 300
Scale 1" = 100'

Bearings - Assumed

- Stone Found
- Iron Pin Found
- Iron Pin Set

POINTS ON CENTERLINE
ADAMSVILLE ROAD - SR 93

1	S 52° 14' 04" W	135.02'
2	S 55° 20' 23" W	117.14'
3	S 62° 31' 15" W	101.27'
4	S 71° 28' 53" W	91.05'
5	S 77° 08' 26" W	108.19'
6	S 72° 59' 22" W	103.63'
7	S 67° 18' 17" W	93.40'
8	S 63° 52' 47" W	101.53'
9	S 52° 02' 33" W	88.54'
10	S 38° 15' 48" W	49.50'
11	S 27° 50' 03" W	52.64'
12	S 13° 15' 39" W	94.21'
13	S 6° 12' 52" W	311.37'
14	S 8° 16' 47" W	80.69'
15	S 15° 34' 08" W	99.78'
16	S 24° 56' 08" W	91.88'
17	S 33° 03' 29" W	105.20'
18	S 37° 28' 17" W	123.27'
19	S 41° 29' 36" W	104.99'
20	S 44° 55' 50" W	168.25'
21	S 46° 15' 30" W	385.20'

SITUATED IN
State of Ohio
County of Muskingum
Township of Salem
Part of Sections 14 & 15
Twp 2-N, Range 6-W
Prior Deed 867 - 330

OFFICE COPY
NOT RECORDABLE
PLAT BY
William A. Weaver
Registered Surveyor #5437
Jan. 11, 1989

DESCRIPTION APPROVED
FOR AUDITOR'S TRANSFER

BY W. A. Weaver
3-02-89