Samuel C. Ward, P.S. Randall A. Emler, P.S.

## WARD & EMLER SURVEYING, INC.

Professional Land Surveyors 113 Third Street SE New Philadelphia OH 44663-2512 (330) 364-5866 (voice) (330) 364-1107 (fax)

E-mail: wardemler@surveyorsohio.com

Robert F. Rogal, P.S. R. Aaron Wells, P.S.

October 20, 2010

TRACT 3
Description of a 5.050 Acre Tract
For
Dave Kaufman Realty
(Alan Miller Property)

Situated in the Township of Salt Creek, the County of Muskingum, the State of Ohio.

Being located in Lots 1 and 2 of the Salt Creek Reserve as set forth in Misc. Book 6, Page 12 which is a division of Section 13, Township 13, Range 12 and being **part** of a 59.97 acre tract heretofore conveyed to Stone Lick Farms, LLC an Ohio Limited Liability Company, Charter / Registration No. 1447880 by Official Record 2295 at Page 256 of the Muskingum County Official Records and with the tract to be conveyed being more fully described as follows:

Commencing at a 5/8" iron pin (found) at the northwest corner of said Lot 2;

Thence with the west line of Lot 2 South 2 deg. 15 min. 19 sec. West, 475.43 feet to a 5/8" iron pin capped "EMLER 7760" (set);

Thence leaving said line and through the bounds of the aforesaid parent tract **South 88 deg. 14 min. 17 sec. East, 829.29 feet** to a 5/8" iron pin capped "EMLER 7760" (set) at the **TRUE PLACE OF BEGINNING** of the tract herein to be described and passing on line a 5/8" iron pin capped "EMLER 7760" (set) at **342.44 feet**;

Thence from said beginning and through the bounds of the aforesaid parent tract the following two (2) courses and distances;

- (1) North 41 deg. 54 min. 39 sec. East, 234.21 feet to a 5/8" iron pin capped "EMLER 7760" (set);
- (2) Thence South 50 deg. 51 min. 53 sec. East, 711.68 feet to a 5/8" iron pin capped "EMLER 7760" (set) on a bound of a 79.896 acre tract heretofore conveyed to Wade H. and Janet I. Herron (D.V. 1127, Pg. 203), passing on line a 5/8" iron pin capped "EMLER 7760" (set) at 198.61 feet and at 235.43 feet;

Thence with said bound South 22 deg. 37 min. 33 sec. West, 360.01 feet to a 5/8" iron pin capped "EMLER 7760" (set);

Thence leaving said bound and through the bounds of the aforesaid parent tract North 43 deg. 11 min. 20 sec. West, 832.79 feet to the TRUE PLACE OF BEGINNING, containing 5.050 acres, more or less, passing on line a 5/8" iron pin capped "EMLER 7760" (set) at 551.13 feet and at 651.13 feet, but subject to all legal highways, rights-of-way, easements, leases and restrictions of record or otherwise legally established.

The above described tract consists of 3.747 acres out of A.P.# 60-60-13-02-000 and 1.303 acres out of A.P.# 60-60-13-03-000. The above tract also consists of 1.486 acres in Lot 1 and 3.564 acres in Lot2.

Furthermore excepting from the above described tract an easement for the purpose of ingress and egress to be used in common with the adjoining tracts to the southwest, their heirs and assigns, being more fully described as follows:

Commencing at a 5/8" iron pin (found) at the northwest corner of said Lot 2;

Thence with the west line of Lot 2 South 2 deg. 15 min. 19 sec. West, 475.43 feet to a 5/8" iron pin capped "EMLER 7760" (set);

Thence leaving said line and through the bounds of the aforesaid parent tract **South 88 deg. 14** min. 17 sec. East, 829.29 feet to a 5/8" iron pin capped "EMLER 7760" (set) at a corner of the above described tract and passing on line a 5/8" iron pin capped "EMLER 7760" (set) at 342.44 feet;

Thence with a bound of the above described tract South 43 deg. 11 min. 20 sec. East, 181.66 feet to a 5/8" iron pin capped "EMLER 7760" (set) at the TRUE PLACE OF BEGINNING of the easement herein to be described;

Thence from said beginning and through the bounds of the above described tract the following three (3) courses and distances;

- (1) North 46 deg. 48 min. 40 sec. East, 25.00 feet to a point;
- (2) Thence South 43 deg. 11 min. 20 sec. East, 100.00 feet to a point;
- (3) Thence South 46 deg. 48 min. 40 sec. West, 25.00 feet to a 5/8" iron pin capped "EMLER 7760" (set) on a bound of the above described tract;

Thence with said bound North 43 deg. 11 min. 20 sec. West, 100.00 feet to the TRUE PLACE OF BEGINNING, containing <u>0.057 of an acre</u>, more or less, but subject to all legal highways, rights-of-way, easements, leases and restrictions of record or otherwise legally established.

Furthermore conveying an easement for the purpose of ingress and egress to be used in common with the adjoining tracts to the southwest, their heirs and assigns, being more fully described as follows:

Commencing at a 5/8" iron pin (found) at the northwest corner of said Lot 2;

Thence with the west line of Lot 2 South 2 deg. 15 min. 19 sec. West, 475.43 feet to a 5/8" iron pin capped "EMLER 7760" (set);

Thence leaving said line and through the bounds of the aforesaid parent tract **South 88 deg. 14** min. 17 sec. East, 829.29 feet to a 5/8" iron pin capped "EMLER 7760" (set) at a corner of the above described tract and passing on line a 5/8" iron pin capped "EMLER 7760" (set) at 342.44 feet;

Thence with a bound of the above described tract South 43 deg. 11 min. 20 sec. East, 181.66 feet to a 5/8" iron pin capped "EMLER 7760" (set) at the TRUE PLACE OF BEGINNING of the easement herein to be described;

Thence from said beginning continuing with said bound South 43 deg. 11 min. 20 sec. East, 100.00 feet to a 5/8" iron pin capped "EMLER 7760" (set);

Thence through the bounds of the adjoining tracts to the southwest the following three (3) courses and distances;

- (1) South 46 deg. 48 min. 40 sec. West, 25.00 feet to a point;
- (2) Thence North 43 deg. 11 min. 20 sec. West, 100.00 feet to a point;
- (3) Thence North 46 deg. 48 min. 40 sec. East, 25.00 feet to the TRUE PLACE OF BEGINNING, containing 0.057 of an acre, more or less, but subject to all legal highways, rights-of-way, easements, leases and restrictions of record or otherwise legally established.

The above described 5.050 acre tract comprises of **0.365 of an acre** within S.R.#313.

Bearings herein are oriented to assumed north and denotes angles only. All iron pins indicated (set) are 5/8" X 30" iron rebar's with an orange plastic cap stamped "EMLER 7760"

Survey and description by Randall A. Emler, Professional Surveyor #7760 in October 2010.

NOTE COPY.

APPROVED

MUSKINGUM COUNTY

PLANNING COMMISSION DIRECTOR

12/15/

Fee Paid

Date

DESCRIPTION

APPROVED

