## DESCRIPTION OF SURVEY FOR STEVE TILLEY JOB#066-3

Situated in the State of Ohio, County of Muskingum, Township of Springfield:

Being part of the Southwest Querter, of Section #10, Township #16, Renge #14, of the Congress Lends East of the Scioto River, being part of the Steve Tilley property described in deed references Deed Book Volume 1140, Page 959 of said county's deed records, known as Auditor's Parcel Number 62-26-02-08-000 and more particularly described as follows;

Commencing at an iron pin (found) at the Northwest corner of said Southwest Quarter of Section #10, also being the common corner for the Northwest Quarter of Section #10, and Southeast & Northeast Quarters of Section #9 of said Township and Range; thence N 00 31 10 W 236.72 feet along the common line for Sections #9.& #10 to an iron pin (set) et the place of beginning for the property herein intended to be described;

- #1- thence N 00 31 10 W 332.58 feet continuing along the common line for Sections #9 and #10 to an iron pin (set);
- #2- thence S 78 38 40 E 193.70 feet into Section #10 and Tilley property to an iron pin (set) on the West side of an ingress and egress easement to be used by this property;
- #3- thence S 03 35 00 W 46.01 feet continuing through said Tilley property and along said easement to an iron pin (set);
- #4- thence along a curve to the right having a chord bearing S 23 03 50 W
  97.34 feet, an arc length of 99.24 feet, and radius of 145.94 feet continuing through said Tilley property and along said easement to en iron pin (set);
- #5- thence S 42 32 40 W 75.48 feet continuing through said Tilley property and along said easement to an iron pin (set);
- #6- thence S 42 32 40 W 140.26 feet continuing through said Tilley property and elong said easement elso along a 20 foot wide drainage easement reserved from the property herein described, to the place of beginning, containing 0.905 acres;

The bearings within the description are based on the South line of Northwest Quarter of Section #10 as described in deed roference Deed Book Volume 1140, Page 959. Bearings are shown in a format of Degrees, Minutes, and Seconds. Iron pins (set) are 5/8" rebar with identification caps (C.R.Harkness P.L.S.6885).

This description was written by Charles R. Harkness Professional Land Surveyor #6885 from an actual survey completed on June 25, 1998, in accordance with Chapter 4733-37 of the Administrative Code, and is intended to be used for easement purposes only and does not intend to describe all or any easement purposed for encroachments unless otherwise indicated.

6885 DESCRIPTION AP FOR AUD

62-26-02-09-001 1271 HICKORY CITER NE

## DESCRIPTION OF SURVEY FOR STEVE TILLEY JOB#866-2

Situated in the State of Ohio, County of Muskingum, Township of Springfield:

Being part of the Seuthwest Quarter, of Section #10, Township #16, Range #14, of the Congress Lands East of the Scioto River, **being an ingress egress easement crossing** the Steve Tilley property described in deed references Deed Book Volume 1140, Page 959 and Deed Book Volume 1143, Page 485 of said county's deed records, and a 0.053 acre parcel not yet recorded to be transferred to Steve Tilley from the L. Bailey property recorded in deed reference Deed Book Volume 1017, Page 104, and more particularly described as follows;

Beginning at an iron pin (found) at the Northwest corner of said Southwest Quarter of Section #10, also being the common corner for the Northwest Quarter of Section #10, and Southeast & Northeast Quarters of Section #9 of said Township and Range;

- #1- thence N 00 31 10 W 236.72 feet along the common line for Sections #9 & #10 to an iron pin (set) at the Southwest comer of the 0.905 acre parcel which this easement is to be used;
- #2- thence N 42 32 40 E 215.74 feet into Section #10 and Tilley property and along said 0.905 acre parcel to an iron pin (set);
- #3- thence along a curve to the left having a chord bearing N 23 03 50 E 97.34 feet, an arc length of 99.24 feet, and radius of 145.94 feet continuing through said Tilley property and along said 0.905 acre parcel to an iron pin (set);
- #4 thence N 03 35 00 E 46.01 feet continuing through said Tilley property and along said 0.90 acre parcel to an iron pin (set) at the Northeast corner of said 0.905 acre parcel;
- #5- thence S 86 25 00 E 50.00 feet continuing through said Tilley property to an unmarked point;
- #6- thence S 03 35 00 W 46.01 feet continuing through said Tilley property to an unmarked point;
- #7- thence along a curve to the right having a chord bearing S 23 03 50 W 224.97 feet, an arc length of 229.36 feet, and radius of 337.29 feet continuing through said Tilley property to an unmarked point;
- #8- thence along a curve to the left having a chord bearing S 22 51 20 W 143.51 feet, an arc length of 146.37 feet, and radius of 212.97 feet continuing through said Tilley property to an unmarked point;
- #9- thence S 03 10 00 W 142.81 feet continuing through said Tilley property to an iron pin (found) at the Northeast corner of the Stave Tilley property recorded in deed reference Deed Book Volume 1143, Page 485;
- #10- thence S 03 24 20 W 258.44 feet along the East line of said Tilley property to an iron pin (set) at the Northwest corner of a 0.053 acre parcel surveyed from the L. Bailey property and not yet recorded;
- #11- thence S 43 26 40 E 64.41 feet along a line of said 0.053 acre parcel to an iron pin (set);
- #12- thence S 09 13 50 E 26.74 feet continuing along a line of said 0.053 acre parcel to a mag-nail (set) in the center of Old Coopermill Road (County Road #142);
- **#13-** thence N 84 38 00 W 52.87 feet along said road and common line for said Bailey property and the J & R Frank property recorded in deed reference Deed Book Volume 996, Page 246 to the Southeast corner of said Tilley property;
- #14- thence N 85 12 50 W 60.00 feet along said road and common line for said Tilley and Frank properties to a point on the West line of Section #10, also being the East line of Section #9;
- #15- thence N 00 08 30 W 320.92 feet along the common line for said Sections #9 & #10 to the place of beginning;

The bearings within the description are based on the South line of Northwest Quarter of Section #10 as described in deed reference Deed Book Volume 1140, Page 959. Bearings are shown in a format of Degrees, Minutes, and Seconds. Iron pins (set) are 5/8" rebar with identification caps (C.R.Harkness P.L.S.6885).

This description was written by Chartes R. Harkness Professional Land Surveyor #6885 from an actual survey completed on June 25, 1998, in accordance with Chapter 4733-37 of the Administrative Code, and is intended to be used for easement purposes only and does not intend to describe all or any easements of record, nor encroachments unless otherwise indicated.

OFFICE COPY STATES

