PHONE 822-2783



Sept. 12, 1990

## 450 SOUTH FOURTH STREET COSHOCTON, OHIO 43812

BODNDARY SURVEY FOR FRED TAHYI IN MUSKINGUM COUNTY, OHIO.

Being a tract of land in the Northwest Quarter of Section 11, Range 14W, Township 16N, Springfield Township, Muskingum County, State of Ohio and being further described as follows;

The angular variation between lines is based on North as taken from Deed (849/219). All pins indicated as set are 3/4" X 30" reinforcing bars with plastic cap.

Research Data:

458/307 431/196 430/643-649 Deeds: 849/219 1000/286 531/298 289/506 106/212 104/193 313/490 175/450 278/408 457/510

Beginning at a point in the centerline of Township Road 279, said point being located by the following five (5) courses from the Northwest corner of Section 11;

with the North line of said Section 11, North 90°00'00" East, a distance of one thousand nine hundred seventy-four and thirty-eight hundredths (1974.38) feet to a recovered 3" rebar at the Northwest corner of the lands of G. & V. Davis (849/219);

2. with the West line of the said lands of G. & V. Davis, South 0°09'06" East, a distance of two hundred thirty-eight and one hundredths

(238.01) feet to a recovered 大" rebar;

3. continuing with the said West live of the lands G. & V. Davis and continuing South 0°09'06" East, a distance of twenty and no hundredths (20.00) feet to a point in the said centerline of Township Road 279;
4. with the said centerline of Township Road 279, North 89°44'50" West, a distance of seventy-three and forty-seven hundredths (73.47) feet

to a point;

5. continuing with the said centerline of Township Road 279, 82°15'06" West, a distance of fifty-five and no hundredths (55.00) feet to said beginning point;

continuing with the said ceuterliue of Township Road 279 the thence, following two (2) courses;

coutinuing North 82°15'06" West, a distance of twelve and seveutyeight hundredths (12.78) feet to a point;

2. North 76°32'52" West, a distance of thirty-six and seventy-two hundredths (36.72) feet to a point;

with the lands of Brockway Glass Co., Inc. (531/289) the following thence, five (5) courses;

North 0\*16'07" West, a distance of twenty and no hundredths (20.00)

feet to a set steel pin; 2. continuing North 0°16'07" West, a distance of one hundred fifty-one

and one hundredths (151.01) feet to a set steel pin;

3. North 89°43'53" East, a distance of forty-eight and thirty-three hundredths (48.33) feet to a set steel pin;
4. South 0°16'07" East, a distance of one hundred sixty-one and fifty

hundredths (161.50) feet to a set steel pin;
5. continuing South 0°16'07" East, a distance of twenty and no hundredths (20.00) feet to the point of beginning;

This tract contains zero and one hundred minety-six thousandths (0.196) acres, more or less, as surveyed by R. Scott Johnson, Registered Professional Surveyor No. 6791, September 12, 1990.

This description is intended to convey all of the lands previously transferred from Hazel L. & Charles W. Alexander to Eugene E. & Samilla Fouch (458/307) and half interest from Edward Eugene Fouch to Samilla Fouch (1000/285) and being parcel No. 62-62-27-01-09-000.

DESCRIPTION APPROVED FOR AUDITOR'S TRANSFER

9-14-90

OFFICE COPY NOT RECORDABLE

