BOWMAN SURVEYING 38 N. 4TH STREET, RM. 103 ZANESVILLE, OHIO PHJFAX (740) 454-0496

SURVEY DESCRIPTION FOR Z-Town Development Co. LTD

Part of Auditors Parcel 62-72-03-07-008 (1.04 Acres)

Situated in section 2, T-15, R-14, Springfield Township, Muskingum County, Ohio.

Commencing at a found iron pin, located 105.00' right of centerline Station 441+00.00 of U.S. 22 as recorded in Plat Book 9 page 4 of the Muskingum County plat records; Thence, N.72°59'20"E. a distance of 236.40 feet along the South line of U.S. 22 to a set rebar, BEING THE POINT OF BEGINNING;

- Thence, N.72°59'20"E. a distance of 25.19 feet along the South line of U.S. 22 to a point;
- Thence, S.10°01'02"E. a distance of 469.71 feet through the lands of Z-Town Development Co. (1137/752) to a set rebar, on the North line of the lands, now or formerly, owned by Storage Today, Inc. (1693/198);
- Thence, N.85°55'36"W. a distance of 219.37 feet along the North line of said Storage Today lands to a found iron pin on the East line of the lands, now or formerly, owned by C. Fink (1510/376);
- Thence, N.16°57'13"W. a distance of 146.31 feet along the East line of said C. Fink lands and the lands, now or formerly, owned by C. & B. Fink (1669/572), to a point;
- Thence, N.78°30'34"E. a distance of 205.51 feet through the lands of Z-Town Development Co. (1137/752) to a set rebar, passing a set rebar at 10.00 feet;
- Thence, N.10°01'02"W. a distance of 262.71 feet along through said Z-Town lands to the point of beginning.

The above described parcel contains 1.04 acres, more or less, subject to all legal easements and right of wavs

Reserving unto the grantors and assigns a 25 foot wide right of way for ingress, egress and utility purposes being described as follows;

Beginning at a set rebar in the Northwest corner of the above described 1.04 acre parcel;

- Thence, N.72°59'20"E. a distance of 25.19 feet along the South line of U.S. 22 to a point;
- Thence, S.10°01'02"E. a distance of 265.14 feet through the lands of Z-Town Development Co. (1137/752) to a point;
- Thence, S.78°30'34"W. a distance of 25.01 feet through said Development Co. lands to a set rebar on the Southeast corner of said 1.27 acre parcel;
- Thence, N.10°01'02"W. a distance of 262.71 feet along the east line of said 1.27 acre parcel to the point of beginning;

The above described right of way covers 0.15 acres, more or less, subject to all legal easements and right of ways.

Z-Town Development 1.04 acres Page 2 of 2

Granting and attached to the above described 1.04 acre parcel is a 25 foot wide right of way for ingress, egress and utility purposes being described as follows;

Commencing at a point located Beginning at a point located N.72°59'20"E. a distance of 261.59 feet along the South line of U.S. 22 from a found iron pin located 105.00' right of centerline Station 441+00.00 of U.S. 22 as recorded in Plat Book 9 page 4 of the Muskingum County plat records;

- Thence, N.72°59'20"E. a distance of 25.18 feet along the South line of U.S. 22 to a set rebar;
- Thence, S.10°01'02"E. a distance of 267.56 feet through the lands of Z-Town Development Co. (1137/752) to a set rebar;
- Thence, S.78°30'34"W. a distance of 25.01 feet through said Development Co. lands to a point on the East line of the above described parcel;
- Thence, N.10°01'02"W. a distance of 265.14 feet along the east line of said 1.27 acre parcel to the point of beginning;

The above described right of way covers 0.15 acres, more or less, subject to all legal easements and right of ways.

All set rebars are 5/8" x 30" rebars with plastic 1.D. caps. North is based upon an assumed meridian.

Description was prepared from an actual survey by Bowman Surveying, Stephen M. Bowman, P.S.#7135. March 20, 2007.

OFFICE COPY NOT RECORDABLE

APPROVED FOR CLOSURE

