Mary Bertke

Situated in the State of Ohio, County of Muskingum, Township of Wayne, Township 12, Range 13, Section 8, and 7, bounded and described as follows:

Being all of Mary Bertke Vol. 1047, Page 565-568 split as follows, Parcel Nos. 73-21-01-23-000 and 73-18-05-02-000.

Parcel One 73-21-01-23 2340 WATHE RIDGE 2D

This description to include all of Parcel No. 73-18-05-02-000 and the South part of Parcel No. 73-21-01-23-000. 8

Commencing at the Southwest Corner of the Northwest Quarter of Section (Southeast Corner of Northeast Qdv: Section 7); Thence North 00°06'45" East along Section line 960.00 feet to an iron pin set the place of beginning; Thence North 89°58'03" West along D&C Misel 145.92 feet to an iron pin found; Thence North 00°00'26" East along Maranutha Bible Church Vol. 736, Page 43, 310.00 feet to an axle found; Thence South 89°59'34" East along J. Cummings Vol. 1136, Page 445, 146.49 feet to an axle found; Thence South 89°59'34" East along J. Cummings Vol. 1136, Page 445, 146.49 feet to an axle found; Thence South 00°06'45" West 100.27 feet to an iron pin set on the East line of Section 7; Thence along the split line of Parcel No. 73-21-01-23-000 South 89°56'26" East 414.28 feet to an iron pin set on the East side of Wayne Ridge Road; Thence along the East side of Wayne Ridge Road the following 4 courses and distances: South 11°20'54" East 33.57 feet to a point, South 20°04'33" East 94.33 feet to a point, South 38°20'55" East 66.61 feet to a point, and South 50°07'58" East 9.13 feet to a point; Thence leaving Wayne Ridge Road and along D.&V. Sheman Vol. 1148, Page 100, North 87°41'25" West 502.33 feet to axle found passing an iron pipe found at 13.37 feet; Thence South 00°06'45" West 50.00 feet to the place of beginning containing 2.77 Acres more or less, 1.04 Acres in Section 7, and 1.73 Acres in Section 8:

Parcel Two 73-21-01-23-001 2230 WAYNE RIDGE This description to include the North Part of Parcel No. 73-21-01-23-000 Commencing at an iron pin found at the Southwest Corner of Section 8; Thence North 00°06'45" East along Section Line 1170.27 feet to an iron pin set the place of beginning; Thence North 00°06'45" East along Section Line and J. Cummings Vol. 1136-445, 160.00 feet to an axle found passing an axle found at 100.27 feet; Thence South 89°56'26" East along J.&S. Gilchrist Vol. 840, Page 114, 381.85 feet to an axle fond on the West side of Wayne Ridge Road; Thence South 11°20'54" East 163.23 feet along West side of Wayne Ridge Road to an iron pin set; Thence North 89°56'26" West along the split line of Parcel No. 73-21-01-23-000, 414.28 feet to the place of beginning containing 1.462 Acres more or less.

Bearings are based on the West line of Section 8 bearing North 00°06'45" East.


Above description is based on the survey of R.L. Daniels, Registered Surveyor NO. 5410, February 11, 2004, and is intended for the legal transfer of property described and does not intend to describe all or any easements of record nor encroachments unless otherwise indicated.

Iron pins set are NO. 5 reinforced bars 30 inches long with plastic ID caps.

AT TECORDABLE Reference Deed Vol. 1047, Page 565.

DESCRIPTION APPROVED FOR AUDITOR'S TRANSFER 2-13-2004





Mary Bertke

Situated in the State of Ohio, County of Muskingum, Township of Wayne, Township 12, Range 13, Section 8, and 7, bounded and described as follows;

Being all of Mary Berke Vol. 1047, Page 565-568 split as follows, Parcel Nos. 73-21-01-23-000 and 73-18-05-02-000.

Parcel One 73-18-05-02 72-21-01-23 23 40 WAYAR RAMAR PA

This description to include all of Parcel No. 73-18-05-02-000 and the South part of Parcel No. 73-21-01-23-000.

Commencing at the Southwest Corner of the Northwest Quarter of Section (Southeast Corner of Kartheast 247, Section 7); Thence North 00°06'45" East along Section line 960.00 feet to an iron pin set the place of beginning; Thence North 89°58'03" West along D&C Misel 145.92 feet to an iron pin found; Thence North 00°00'26" East along Maranutha Bible Church Vol. 736, Page 43, 310.00 feet to an axle found; Thence South 89°59'34" East along J. Cummings Vol. 1136, Page 445, 146.49 feet to an axle found; Thence South 89°59'34" East along J. Cummings Vol. 1136, Page 445, 146.49 feet to an axle found; Thence along the split line of Parcel No. 73-21-01-23-000 South 89°56'26" East 414.28 feet to an iron pin set on the East side of Wayne Ridge Road the following 4 courses and distances: South 11°20'54" East 33.57 feet to a point, South 20°04'33" East 94.33 feet to a point, South 38°20'55" East 66.61 feet to a point, and South 50°07'58" East 9.13 feet to a point; Thence leaving Wayne Ridge Road and along D.&V. Sheman Vol. 1148, Page 100, North 87°41'25" West 502.33 feet to atle found passing an iron pipe found at 13.37 feet; Thence South 00°06'45" West 50.00 feet to the place of beginning 2.77 Acres more or less, 1.04 Acres in Section 7, and 1.73 Acres in Section 8;

Parcel Two 73-18-01-23-001 2330 WAYNE EIDGE D This description to include the North Part of Parcel No. 73-21-01-25-000 Commencing at an iron pin found at the Southwest Corner of Section 8; Thence North 00°06'45" East along Section Line 1170.27 feet to an iron pin set the place of beginning; Thence North 00°06'45" East along Section Line and J. Cummings Vol. 1136-445, 160.00 feet to an axle found passing an axle found at 100.27 feet; Thence South 89°56'26" East along J.&S. Gilchrist Vol. 840, Page 114, 381.85 feet to an axle fond on the West side of Wayne Ridge Road; Thence South 11°20'54" East along the split line of Parcel No. 73-21-01-23-000, 414.28 feet to the place of beginning containing 1.462 Acres more or less.

Bearings are based on the West line of Section 8 bearing North 00°06'45" East.

Above description is based on the survey of R.L. Daniels, Registered Surveyor NO. 5410, February 11, 2004, and is intended for the legal transfer of property described and does not intend to describe all or any easements of record nor encroachments unless otherwise indicated.

Iroute et are NO. 5 reinforced bars 30 inches long with plastic ID caps.

EECOPYLA ECONDABLE

DESCRIPTION APPROVED. FOR AUDITOR'S/TRANSFER 2-13-2004

