

88 West Church Street Newark, Ohio 43055 (740) 345-1921 (ph) (740) 345-4994 (fax)

ADR & ASSOCIATES, LTD. www.adrcivil.com

100 Dorchester Square Westerville, Ohio 43081 (614) 891-8643 (ph) (614) 891-9872 (fax)

DESCRIPTION OF
2.361 ACRE LOT SPLIT
CITY OF ZANESVILLE
MUSKINGUM COUNTY, OHIO

86-34-61-61-639 1682 CRNTURY DR

Situated in the State of Ohio, County of Muskingum and City of Zanesville,

Being a part of Lot 6 of Sibley's Subdivision as recorded in Muskingum County Plat Book 16, pages 87 and 88 and futher being part of a 3.023 acre tract of land conveyed to Mitchell Construction in Deed Record1619 page 512, in the aggregate, and being more particularly described as follows:

Commencing for Description, at a point in the south line of the 3.023 acre tract said point being the most westerly corner of the 5.771 acre (DR 1619~Page 512) and the TRUE PLACE OF BEGINNING of the herein described tract;

Thence **South 87° 38' 47" West** along the Northerly bounds of lands of Storage Today (DR 1130~Page 744), a distance of **419.34** feet to an iron bar set; (passing an iron pin found at 410.01 feet);

Thence **North 02° 17' 43" West** along the Eastern bounds of lands of J. Harpcastle(DR 1714~ Page 292) a distance of **237.82** feet to an iron pin set;

Thence **North 87° 41' 38" East** along the Southerly bounds of said 3.023 acre tract a distance of **434.80** feet to an iron pin set:

Thence **South 02° 18' 23" East** along a new line of division within said 3.023 acre tract, a distance of **237.40'** feet to an iron pin set, on the northerly bounds of the 5.771 acre tract afore mentioned;

Thence South 87° 38' 47" West along said northerly bounds, a distance of 15.50 feet to the TRUE PLACE OF BEGINNING, tract of land containing 2.361 acres, more or less, and subject to all legal highway and any easements, restrictions, or reservations of records.

Basis of bearing: the south line of parcel a 3.023 acre tract as recorded in Deed Record 1619-512, and the bearing of S 87°38'47"E was used as an assumed meridian and used to denote angles only.

The above description prepared from a survey preformed by "ADR" in March 2004





3-18-2004 91-86-34-01-01-019(PART)

